

INDEX

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.
Medicines included in the Green Pages are in the Index of Medicines, p. 341.

A

Abdomen (See Belly)
Abortion, 243, 284, **414–415**
 (Also see Miscarriage)
Abscess, 419
 breast, 278
 caused by injecting, 67, 69, 74
 liver, 144–145
 of the teeth, 230–231
 under the skin, 202
Acid Indigestion, 128–129
Acne (pimples), **211**, 395, 419
Acquired Immune Deficiency Syndrome (See AIDS)
Acupuncture, 74, 401
Acute abdomen, 15, **93–94**, 419
 (Also see Gut, Swollen belly)
Addiction, 416–417
Afterbirth (placenta), **262–264**, 269, 426
AIDS, 153, 171, 236, 245, 286, 290, 396, **399–401**, 416
 and pregnancy, 249
 and shingles, 204
 and thrush, 232
 and tuberculosis, 179
Alcoholic drinks
 and heat stroke, 81
 problems caused by, 119, 148–149, 325, 326, 400, 416
Alcoholics Anonymous, 149, 417, 429
Alcoholism, **148–149**, 416–417, 419
Allergic reaction, 23, 54, **166**
 in the skin, 203, 285, 290
 medicines for, 337, 386–387
 to medicines, 54, 56, 68, 70–71, 351
Allergic rhinitis (hay fever), **165**, 427
Allergic shock, **70**, 105, 351, 386–387, 410
Aloe vera, 13, 129
Amebas, **144–145**, 336, 368–369, 419
Amputation, 409, 419
Anabolic steroids, 51
Analgesics (painkillers), 379–380
Anemia, **124**, 419
 causes of, 113, 124
 during pregnancy, 248–249
 in children, 307, 321
 treatment, 335, 392–394

Anesthetics, 380–381
Angel's Trumpet, 12
Angina pectoris, 325
Antacids, 52, 64, **129**, 248, 324, 381–382
Antibiotics, 52, **55–58**, 156, 351–365
Anti-diarrhea medicines, 156
Antihistamine, 70, 165, 204, **386–387**, 419
Antispasmodic, 235, 329, **381**
Antitoxins, **388–389**, 419
 and allergic shock, 70, 105
 for tetanus, 389
 (Also see Antivenom)
Antivenom, 70, 388–389
 for scorpion sting, 388
 for snakebite, 105, 388
Anus, **233**, 419
 hemorrhoids in it, 175
 sores in it, 238, 400, 402, 403
Apoplexy, 37, 78, 288, **327**
Appendicitis, 36, **94–95**
Appendix, **94**
Arms
 muscles and nerves in, 37
 numbness or pain in, 23, 325
Arteriosclerosis, 326
Arthritis (joint pain), **173**, 324
 medicines for, 51, 379–380
Ascaris (roundworm), **140–141**, 420
 and asthma, 167
Asthma, **167**, 337, 385–386
Athlete's foot, 205

B

Babies
 examining, 34
 feeding, 120–121
 with diarrhea, 159
 with skin problems, 215
 (Also see Children, Newborns)
Back pain, **173–174**, 248
Bacteria, **19**, 55, 420
Bacterial dysentery, 145
Bacterial infection of the blood, 273–275
Bag of waters, 256, 258, **259–260**, 420
Bandages, 85, 87, **101–102**, 336

Bathing

- and hygiene, 133
- newborns and babies, 7, 215, 263
- postpartum mothers, 8, 276
- sick persons, 7, 39

B.C.G. vaccination, 147, 180, 185

Beaded lizard bite, 106

Bedbugs, 200

Bed sores, 13, 214, 420

Beliefs

- harmful, 4, 5, 10–11
- healing power of, 2

Bell's Palsy, 327

Belly

- acute abdomen, 93–94
- examination of, 35–36
- lumps in, 280
- pain in lower belly, 243
- (Also see Gut, Swollen Belly)

Bewitchment, 2, 6, 420

Bilharzia, 146

Biliousness, 329

Birth (See Childbirth)

Birth control (See Family planning)

Birth control pills, 285, 286–289, 394–395, 410

Birth defects, 6, 247, 272, 289, 318–321, 412

Birth kits, 254–255

Birth opening (See Vagina)

Bites

- of wild animals (rabies), 181
- poisonous, 104–106
- that may cause infection, 89
- treatment, 86

Bitot's spots, 226

Black flies, 227–228

Blackheads, 211, 420

Black magic, 5, 24

Black widow spider bite, 106

Bladder, 233

- infection, 243
- stones, 234, 235

Bleach, 74, 401

Bleeding

- and anemia, 124
- during menopause, 246
- during pregnancy, 249, 281
- gums, 107, 231
- how to control, 13, 82–83
- in an unconscious person, 78
- in the whites of the eyes, 225
- of the newborn, 272, 337, 394
- severe, 82, 243, 246, 264, 281, 404, 410, 414
- stopping after birth, 263–266, 337, 391
- (Also see Blood)

Blindness, 221–222, 412

- from injuries to the eye, 218
- night blindness, 113, 226–227
- protection for babies, 221, 237, 379
- river blindness, 227–228, 378

Blisters

- from medicines, 358, 361

from touching certain plants, etc., 204

- with burns, 96
- with chickenpox, 311
- with eczema, 216

Blood

- and AIDS, 399, 401
- clots, 288
- coughing up blood, 168
- flukes, 146
- in stools, 128, 144–146, 157–158, 306, 401
- in the urine, 146, 234
- in vomit (cirrhosis), 328
- in vomit (ulcer), 128
- (Also see Bleeding)

Blood pressure, 420

- high, 125, 249, 288, 325–326, 395, 411
- how to measure, 410–411
- low, 77, 411
- (Also see Shock)

Blood transfusion, 401

Blueness of skin, lips, and nails, 30

Body-building foods, 110

Boil (abscess), 202, 420

Bones

- calcium for, 246
- deformities of, 125, 319
- hit by a bullet, 90
- that have come out of place at a joint, 101
- (Also see Broken bones)

Bottle feeding, 120, 154, 296

Bowel movement, 242, 420

- (Also see Feces, Stools)

Braces, 315

Brain damage, 319–320

- and fits, 319
- from high fever, 76
- from tapeworm cysts, 143

Bran, 16, 126, 383

Brand-name medicines, 55, 333, 339, 420

Breakbone fever (See Dengue)

Breast abscess (mastitis), 278, 424

Breast cancer, 279

Breast feeding, w 12, 120–122

- and birth control, 285, 289, 294, 395
- and good nutrition, 114, 116, 304
- and preventing diarrhea, 154, 156
- of newborns, 271, 277, 405
- traditional beliefs about, 2, 7
- (Also see Breasts)

Breasts

- care of, 277, 279
- swelling of, 278–279

Breathing (respiration), 426

- difficulties, 23, 57, 168, 181, 274, 325, 410
- hot water vapors 47, 168
- of a sick person, 32
- rate, 32
- stopped, 80
- (Also see Lung diseases, Mouth-to-mouth breathing)

Breech delivery, 257, 268

Broad-spectrum antibiotics, 56, 58, 353, 356–359

Broken bones, 14, **98–99**

Bronchitis, 170

Brucellosis (Malta fever), 27, **188**

Bubos, **238**, 403, 420

Bullet wound

- in arms or legs, 90
- in the belly, 15, 92–93
- in the head, 91

Burns, 13, **96–97**

- and leprosy, 192
- of the eye, 219

C

Calcium

- and rickets, 125
- danger of injecting, 53, 67
- for spider bite, 106
- for weak bones, 246
- in eggshells, 116

Callus, 210

Cancer, **25**, 412, 420

- and oral contraceptives, 288–289
- and smoking, 119, 149, 168
- of the breast, 279
- of the skin, 197, 211, 399
- of the womb, 280

Candida (See Moniliasis)

Canker sores, 232

Carbohydrates (energy foods), 110, 121, 420

Carbonated drinks, 115, **150**

Cardon cactus, 13, 232

Cascara, 16

Cassava, **117**, 130, 420

- for constipation, 16, 126, 383

Cast, **14**, 98, 319, 420

Castor oil, 16

Cataract, **225**, 323, 420

Catheter, **239–240**, 336, 420

Causes of illness, w6–w7, w10, w27, **17–19**

Cavities in teeth, **229–230**, 420

Cellulitis, 212

Cereal, 152, 382

Cerebral malaria, 30, 178, 186, 367

Cerebral palsy, 320

Cerebro-vascular accident (CVA), 37, 78, 288, **327**

Cervix, **288**, 420

Chancere, 237

Chancroid, 236, 238, 403

Chemical burns of the eye, 219

Chest wounds, 91

Chickenpox, **204**, **311**

Chiggers, **201**, 420

CHILD-to-child program, 322

Child Health Chart, w20, w24, **297–304**, 420

Childbirth

- bleeding after, 264–265
- correct use of oxytocics, 265–266
- cutting the cord, 262–263
- difficult births, 267–269, 319

infection, 260, 276

position of the baby, 257, 261, 267

position of the mother, 260

premature, 262

preparing for, 254–256

signs of labor, 258

tearing of the birth opening, 269

Childbirth fever, 27, **276**, 283, 420

Children

and diarrhea, 151–153, 159

foods for, 112, 113, 120–122, 295

giving injections to, 73

growth of, 107, 297–304

having the number you want, 283–294

infectious diseases of, 311–315

malnourished, 112–114, 154, 303, 305–306

mentally slow, deaf, or deformed, 318

problems they are born with, 316–321

severely ill, 214

vaccinations for, 147, 296

(See also Babies, Newborns)

Chlamydia, 221, 234, **236–237**, 356, 360, 379

Choking, 79, 314

Cholera, 158

Cigarettes (See Smoking)

Circulation, poor (See Varicose veins)

Circumcision, 74, 401, **404**

Cirrhosis of the liver, 108, 148, **328**

Cleanliness, 131–139

basic guidelines of, 133–139

in childbirth, 260, 263

of children, 136, 296

of equipment, 74, 401

of mouth and teeth, 229–231

personal cleanliness, 39, 41, 133–135

public cleanliness, 137–139

to prevent infection, 74, 84, 401, 414

when injecting, 68, 74, 401

Cleft palate, 318–319, 421

Climacteric (menopause), 246

Clitoris, 233

Clubbed feet, 319

Cocaine, 416–417

Coitus interruptus, 285, **294**

Cold and hot sicknesses, 119

Cold compresses, 193–194

Colds and the ‘flu’, 45, 57, **163**, 308

diet with, 123

Cold sores or fever blisters, 48, 171, 232, 402

Cold weather, 408–409

Colic (gut cramps), **35**, 145, 157, 421

Colostrum, **277**, 421

Coma, **78**, 421

Combination medicines, 52, 385

Combined methods of birth control, 285, **292**

Comfort of a sick person, 39

Complications from abortion, 243, **414–415**

Compresses, 193–195, 421

Condom, 239, 285, 286, **290**, 396, 401–403

La Congestion, 23

Conjunctivitis, 219–221, 308

Constipation, 16, 126
 as a sign of acute abdomen, 94
 during pregnancy, 248
 treatment and prevention, 126, 383

Consumption (See Tuberculosis)

Contact dermatitis, 204, 421

Contraception, 284–294, 394–396

Contraceptive foam, 290, 396

Contractures, 314, 421

Convulsions, (See Fits, Spasms)

Cooperatives, w24

Cornea, 217, 218, 224, 225, 226, 228

Corn silk, 12

Corns, 210, 421

Cortico steroids, 51, 129, 364

Cortisone, 51

Cough, 168–169
 chronic, 168, 324, 400
 common causes, 168
 cough with blood, 140, 171, 174, 179
 medicines for, 52, 384
 smoker's, 149

Cradle cap, 215

Cramps, 421
 gut, 12, 35, 106, 145, 147, 243, 381
 heat, 81

Cretinism, 318, 421

Crop rotation, w13, 115, 117, 427

Cross eyes, 223, 318

Crutches, how to make, 315

Cupping, 22, 421

Cuts, 84–86

CVA (Cerebro-vascular accident), 37, 78, 288, 327

Cyst, 143, 243, 280, 421

D

Dacryocystitis, 223

Dandruff, 215, 421

Dandy fever (See Dengue)

Dangerous illnesses, w28, 42, 179–192

Dangerous use of medicine, 50

Date of expiration, 332

Deafness
 home cure for, 11
 in children, 318
 with ringing and dizziness, 327

Death, accepting, 330

Decongestants, 164, 165, 421

Defects, birth, 7, 289, 316–321, 421

Deformities, 421
 from birth, 289, 316–321
 with leprosy, 191–192

Dehydration, 151–152, 421
 and diarrhea, 46, 155
 causing sunken fontanel, 9, 274
 danger of laxatives with, 15, 383
 medicine not to take, 52–53, 156
 prevention and treatment, 152, 156, 382–383

Delhi boil (See Leishmaniasis)

Delirium, 24, 421
 and malaria, 186
 and typhoid, 189

Dengue, 187

Dermatitis, contact, 204, 421

Diabetes, 127, 251, 410

Diaper rash, 215, 422

Diaphragm, 285, 290, 396

Diarrhea, 151–160
 and dysentery, 144–145, 153, 306
 babies with, 159, 271
 causes of, w7, 17, 107, 132–33, 135, 153, 399, 400
 causing sunken fontanel, 9
 home cures for, 11
 prevention of, w7, 46–47, 154
 severe, 151, 160
 treatment of, 58, 152, 155–158, 384
 with blood, 144–145, 157–158, 306, 401
 with vomiting, 151, 157
 with worms, 142

Diet, 421
 congestion and, 23
 for fever, 8
 for postpartum mothers, 8, 123, 276
 for sick persons, 40, 123
 for small children, 120–122
 for specific diseases, 40, 124–130, 154–156
 harmful ideas about, 123
 things to avoid, 119
 what to eat to stay healthy, 110–111
 while taking medicines, 123
 with oral contraceptives, 286
 (Also see Foods, Nutrition)

Diets for specific diseases, 40, 124–130
 acid indigestion, heartburn, and ulcers, 128–129
 anemia, 124
 constipation, 16, 126, 383
 diabetes, 40, 127
 diarrhea, 155–156, 159
 fat people, 126
 goiter, 130
 high blood pressure, 125

Digestion, 13

Diphtheria, 147, 296, 313–314

Direct pressure, 82

Disability
 how injections cause, 74, 314
 in children, 74, 314, 318–321

Diseases (see sicknesses)

Dislocations, 38, 101, 316, 422

Dizziness, 327, 249

Dolor de ijar, 22

Dosage information, 340

Double vision, 227

Douche, 241, 247, 258, 281, 292, 361, 422

Down's disease (mongolism), 318, 425

D.P.T. vaccination, 147

Drinking (alcohol), 148–149, 318, 325, 326, 328
 400, 416

Drowning, 79, 422
Drug abuse, 399, 401, **416–417**
Dry eyes, 107, 113, **226**, 392
Dry malnutrition (marasmus), 112–113
Dumdum fever (See Leishmaniasis)
Dysentery, **144–145**, 422
 (Also see Diarrhea)

E

Ears
 how to examine a sick person's, 34
 infections of, 309
 nodes behind, 88
 ringing of, 107, 327
Earwax, 405
Eclampsia (toxemia of pregnancy), **249**, 422
Ectopic pregnancy, 36, 243, 249, **280**, 414
Eczema, 216
Emergency
 problems of the gut, 93–95
 supply of medicines, 332
 use of injections, 66
Emergencies caused by cold, 408–409
Emergencies caused by heat, 81
Empacho, 22
Emphysema, 170
Enema, 15, 76, 92, 422
Energy foods, 110–111
Enterobius (pinworm, threadworm), 141
Epilepsy, 38, **178**, 319, 389–391
Epsom salts, 16
Erysipelas, 212
Evaluation, w20, 422
Evil eye, **5**, 422
Examining
 a pregnant woman, 250–253
 a sick person, 29–38
 breasts, 279
 eyes, 33, 217
 eyesight, 223
 for appendicitis, 36, 95
 for hernia, 94, 317
 for knee reflexes, 183
Excision, 404
Exhaustion, heat, 81
Expectorants, 52, 384, 422
Experimenting, w15
Extra finger or toe, 318–319
Eyes, 217–228
 cross eyes, 223
 danger signs, 33, 217
 dryness of, 107, 113
 examining the eyes, 33
 eye problems of older people, 323
 eye problems with leprosy, 192
 foreign objects in eyes, 48, 218
 of newborns, 221, 270, 379, 392
 red and painful, 219, 225
 yellow, 30, 172, 274, 328, 329
Eyesight testing, 223

F

Face
 dull, 318
 lumpy skin on, 191
 paralysis of, 37, 327
Fainting, 78, 79, 81, 325, 327
Falciparum malaria, 158, 186, 365
False labor, 258
Family planning, w16, 246, **283–294**, 394–396,
 415
 and infertility, 244
Farming, w13, 412–413
Farsightedness, **323**, 422
Fatigue, 23, 124, **323**, 400
Fat people, **126**, 325–326, 329
Fats, **111**, 121
Feces, 132, 242, 422
 and infections, 84, 96, 131
 in home remedies, 11
 in newborn's mouth and nose, 268
 (Also see Stools)
Feces-to-mouth, disease spread from, **131–133**,
 140, 188
Feet
 clubbed, 319
 loss of feeling in, 127, 162, 173, 191–192
 swelling of, 113, 124, 144, 176, 248 249, 323
Fertile days, 244, **291**
Fetoscope, **252**, 255, 422
Fever
 childbirth, 27, 276, 283
 diet with, 8
 high, 6, 15, 75–76, 335
 how to bring down, 75, 76, 335
 in children, 306
 in the newborn, 270, 273
 patterns in different diseases, 26–27, 30, 31
Fever blisters or cold sores, 48, 171, **232**
La Fiebre, 26
Filmstrips, w22
Fire wood, 135
First aid, **75–106**, 422
Fits, 23, **178**, 422
 caused by high fever, 76
 from birth defects, 273, 319
 in cerebral malaria, 186, 367
 in children, 307, 319
 in meningitis, 185
 medicines for, 336, 389–391
 (Also see Spasms)
Flannel-graphs, w22
Fleas, 190
Flies
 and disease, w23, 135, 227–228, 406
 before the eyes, 227, 323
Flu, 45, 57, **163**, 308, 422
Flukes, blood, **146**, 377, 422
Fluoride, for teeth, 229
Foam, contraceptive, 285, **290**, 396
Folic acid, 118, 321, **393**, 422

Folk beliefs, 3, **6–8**, 123
(Also see Home remedies)

Folk disease, 21–26

Follicles inside the eyelids, 220

Fontanel (soft spot)
sunken, 6, 9, 151, 274
swollen, 274
(Also see Dehydration)

Food poisoning, 23, 103, **135**, 153, 161

Foods
at low cost, 116–118
for a person with diarrhea, 155–156
for sick persons, 41
for small children, 120–122
nutritious, 110–111, 295
plant, 116
producing, w11
spoiled, 103, 135
(Also see Diet, Nutrition)

Fractions, **59–60**, 340

Fractures (See Broken bones)

Fright, **24**, 422

Frostbite, 409

Frozen skin, 409

Fungus infection, 19, 58
ringworm, tinea, 205–206, 372–373
thrush, 232
vaginal yeast, 242, 370

G

Gallbladder, 422
home cure for, 12
pain in, 36
problems, 329

Gangrene, 213

Garlic, 12, 241, 242

Gastritis, 128–129
Gelusil, 173

Generic medicines, 333, **339**, 423

Genital herpes, 402–403

Genital warts, 374, 402

Genitals, 205, 232, **233–244**, 423
sores on, 237, 402–403

German measles (Rubella), 247, **312**, 320

Germs, **19**, 423

Giardia, **145**, 336, 368–370, 423
and diarrhea, 153, 158

Gila monster bite, 106

Glaucoma, 33, **222**, 323

Gloves, rubber or plastic, 255, 262, 264, 401

Glue sniffing, 416

Goiter, 10, **130**, 423

Gonorrhea, 221, **236–237**, 255, 360
(Also see Sexually transmitted infections)

Grams, measuring in, **59–60**, 423

Groin, lymph nodes in, **88**, 238, 423
(Also see Hernia)

Group discussions, w24 w27

Growth, children's, 107, **297–304**
Guaco, 3

Guinea worm, 406–407

Gums, 229–232
bleeding of, 107, 231
pale, 124
swelling caused by medicine, 231

Gut
cramps, 12, 106, 145, 157, 243, 381
emergency problems of, 35, 93–94
infection, 47, 131, 144–145, 153, 189
obstructed, 22, 94
out of anus (prolapse), 142
outside a wound, 92
wounds in, 92
(Also see Abdomen, Swollen belly)

H

Hair
changes with malnutrition, 107
examination for lice, 200
loss of, 107

Hansen's disease (See Leprosy)

Hare lip, **318**, 423

Hay fever, **165**, 427

Head
fungus infections of, 205
injury, 37, 78, 91
swollen lymph nodes on, 88

Headaches, **162**, 249, 410

Health, w7, w11

Health worker, w1 w7, w29, 43, 246, 340

Heart
attacks, 23, 325
confusion with heartburn, 128
trouble, 33, 310, 325, 410

Heartbeat, **32–33**, 77

Heartburn, 423
diet for, 128–129
during pregnancy, 248
medicines for, 381–382
medicines to avoid, 54, 64

Heat
cramps, 81
exhaustion, 81
stroke, 78, 81

Hemorrhage (See Bleeding)

Hemorrhoids (See Piles)

Hepatitis, **26**, **172**, 416

Herbal teas, 1, 8

Herbs, curative, **12–13**, 423

Hereditary problems, **18**, 318–319, 321, 423

Hernia, **177**, 423
during pregnancy, 256
in groin of newborn, 317
obstructing the gut, 94

Heroin, 416–417

Herpes simplex or labialis (See Cold sores)

Herpes zoster, **204**, 400

Hexing, 2

High blood pressure, 125, 249, 325–326, 411
History, taking, 20, 25, 29, 44, 250–253, 423
HIV (See AIDS)
Hives, 68, 166, 203, 423
Home remedies, 1–3
 enemas and purges, 15
 for infertility, 244
 how to tell if they work, 10–11
 questions and answers about, 6–8
 sensible use of, w2, 24
Home visits, w24
Hookworm (Uncinaria), 133, 142, 296, 307
Hordeolum (sty), 224
Hormones, 224, 287, 394, 423
Hot and cold sicknesses, 119
Hot compresses, 193–195, 406
Housing, w10
Human immunodeficiency virus (See AIDS)
Hydrocele, 317
Hygiene (See Cleanliness)
Hypertension (See High blood pressure)
Hyperventilation, 24, 423
HypHEMA, 225
Hypochondria, 329
Hypopyon, 225
Hypothermia, 408
Hysteria, 2, 24, 423

I

Illnesses (See Sicknesses)
Immunizations (vaccinations), 19, 147, 296, 337
Impetigo, 25, 202
Implants (birth control), 285, 293, 397
Indigestion
 diet for, 128–129
 during pregnancy, 248
 medicines for, 381–382
 medicines to avoid, 54, 64
Infantile paralysis (See Polio)
Infants (See Babies, Newborns)
Infection, 423
 after giving birth, 276
 and diarrhea, 154, 157
 in newborns, 182–183, 275
 in wounds, 88–89, 96, 213
 medicines for, 55–58, 335–336
 minor, 58
 of the appendix, 94–95
 of the eyes, 217, 219, 220, 221
 of the genitals, 236–239, 241–242
 of the gut, 94–95, 135, 140–146, 243
 of the tear sac, 223
 of the urinary tract, 234–235
 resisting, 108, 120, 271
 signs of a serious, 88, 194, 272–275
Infectious diseases, 18–19, 135, 423
Inferon, 51, 67
Infertility, 244
Inflamed tonsils (tonsillitis), 309

Injections, 65–73
 dangerous reactions from injections, 54, 70–71
 emergencies needing, 66
 faith in, w19, 4, 50
 medicines not to inject, 51, 56, 67
 of vitamins, 118
 risks and precautions, 68–69
 supplies for, 336
 that can disable children, 74, 314
 to prevent pregnancy, 285, 293, 396
 when to inject, 65, 67
Injury
 moving an injured person, 99–100
 of an unconscious person, 78
 severe, 33
 to the eye, 218
Insecticides, 19, 103, 187, 373, 412–413, 423
Insomnia (loss of sleep), 328, 423
Intestinal worms, 13, 140–145, 423
Intestines (See Gut)
Intrauterine device (IUD), 281, 285, 290, 396
Intravenous solution (I.V.), 40, 53, 67, 152
Intussusception, 94, 424
Iodized salt, 130, 318
Iritis, 33, 219, 221
Iron
 cooking pots, 117
 foods rich in, 124
 from nails in lemon juice, 118
 pills, 51, 118, 124, 307, 335, 393, 405
Itching
 caused by fungus, 205, 242
 caused by medicines, 68, 70–71, 166
 caused by plants, 204
 medicines for, 335, 386
 of hands with syphilis, 238
 of the anus (pinworm), 141
 rashes, allergies, 68, 166, 203, 236, 238
 with chickenpox, 311
 with scabies, 199
 with worm infections, 140–142, 228
IUD (intrauterine device), 281, 285, 290, 396

J

Jaundice, 30, 172, 274, 318, 321, 328–329, 393, 424
Jock itch, 205
Joints, painful, 101–102, 173, 310, 324

K

Kala azar (See Leishmaniasis)
Kangarooing, 405, 408
Kidneys, 233–234, 424
Kidney stones, 235, 424
Kilograms, measuring in, 62, 424
Kwashiorkor (wet malnutrition), 30, 113, 424

L

Labor, 258–262, 264, 424
 false labor, 258
 problems with labor, 267
 signs that show labor is near, 258
 stages of, 259–262
 (Also see Childbirth)

Land
 distribution of, w7, w11, 413
 use of, w11, w13–w16, 115

Latido, 23

Latrines, 137–139, 153

Laxatives, 15–16, 383
 misuse of, 126

Lazy eye, 223

Leadership, w5

Learning, w4, w21–w28, **322**

Legs
 crossed like scissors, 320
 examination of legs, 37
 pain in, 288, 321

Leishmaniasis, 406

Lepra reaction, 191, 364

Leprosy, 10, **191–192**, 206, 337, 363–365
 or lepra, 25

Lice, 134, 190, **200**, 373

Limits, knowing, w4

Liquids, 39–40, 151

Liters, measuring in, **61**, 424

Liver, 36, 424
 abscesses, 144–145
 diseases, 172, 288, 328
 infection of, 172

Liver extract, **65**, **67**

Lockjaw (See Tetanus)

Loss of blood (See Blood, Bleeding)

Loss of consciousness (See Unconscious person)

Loss of feeling, **38**, 127, 162, 173, 191, 192, 279

Loss of sight, 225, 412

Loss of sleep (insomnia), 328

Loss of weight (See Weight loss)

Low body temperature, 409

Low back pain, **173**, 248

Low blood pressure, 411

Lumps
 in the abdomen, 35, 243, 280
 in the breast, 279
 on face and body, 191, 228
 that keep growing, 196, 280
 (Also see Lymph nodes)

Lung diseases
 and smoking, 149
 asthma, 167
 bronchitis, 170
 pneumonia, 171
 tuberculosis, 179

Lymph nodes, swollen, **88**, 317, 424
 caused by an abscess, 202
 in the groin, 238, 403

signs of infection, 194
 TB of, 212
 with AIDS, 400
 with breast cancer, 279
 with brucellosis, 188 or typhus, 190
 with German measles, 312
 with scabies or lice, 199, 200

Lymphogranuloma venereum, 238, 420

M

Maalox, 173

Malaria, 186–187
 falciparum, 158, 365
 fever pattern, 26
 medicines for, 337, 365–368
 with sickle cell disease, 321

Malnutrition
 and diarrhea, 153–155
 causes of, 115, 283, 412
 checking for, 109, 112–113, 297–304
 during pregnancy, 248
 in children, 107, 114, 305–306
 kinds of, 112–114
 prevention and treatment of, 108, 109,
 112–113, 155–156, 392–394
 problems caused by, 107, 306
 signs of, 30, 37, 108, 112, 113, 208–209, 305

Malta fever (brucellosis), 27, **188**

Marasmus (dry malnutrition), 112

Marijuana, 416

Mask of pregnancy, 207

Massaging
 sprains or fractures, 99, 102
 the birth opening, 269
 the womb, 264–265

Mastitis (breast abscess), **278**, 424

Measles (Rubeola), 30, 108, 226, **311**, 392
 vaccination, 147, 312, 321

Measuring
 blood pressure, 410–411
 in pounds and kilos, 62
 medicine, 59–61, 340

Medical attention
 illnesses that always need, 179–192
 when to seek, 43, 159

Medicinal plants, 12–13

Medicine kit, 331–337

Medicines
 brand name, 55, 333, 339
 care in giving to the newborn, 54, 272
 dangerous misuse of medicine, 50–53
 during or after birth, 266
 during pregnancy, 54, 247
 for small children, 62
 generic, 333, 339
 guidelines for use, w18–w19, 49–73, 339–396
 healing without medicines, 45–48
 how to measure and give, 59–64, 340
 how to write instructions for, 63–64

- limited use of medicines, w18–w19, 49
 medicines not to inject, 56
 reactions to, 68, 70–71, 351
 uses, dosage, and precautions, 339–398
 when not to take them, 54–64
- Ménière's disease**, 327
- Meningitis**, 185, 274, 307
- Menopause**, 246, 424
- Menstrual period**, 245–246, 281, 285, 294, 394–397
- Mental problems**, 18, 114, 318
- Microscope**, 19, 144
- Midwives**
 danger signs in pregnancy, 249
 information for, 245–282
 prenatal care, 250
 special risk at birth, 256
 things not to do, 260
 things to have ready before birth, 254–255
- Migraine**, 162, 424
- Milk**
 and brucellosis, 188
 and diarrhea, 156
 and ulcers, 129
 powdered, 392
 (Also see Breast feeding)
- Milk of magnesia**, 16, 383
- Mineral oil**, 16, 383
- Minerals**, 111, 116–118, 425
- Mini pill**, 289, 294, 395
- Miscarriage (spontaneous abortion)**, 246, 249, 266, 281, 414
- Models for teaching**, w22
- Mongolism**, 318, 425
- Moniliasis (thrush)**, 232, 242, 400
- Morning sickness**, 248, 287
- Mosquitos**, 186–187
- Mothers**
 health after childbirth, 276, 280
 health and sicknesses of children, 295–321
 information for, 245–282
 prenatal care, 250–253
 (Also see Family planning)
- Mouches volantes**, 227
- Mouth**, 107, 229–232
- Mouth-to-mouth breathing**, 78–80, 413
 with newborns, 262
- Moving an injured person**, 99–100
- Mucus, how to drain**, 169, 425
- Mucus method**, 285, 292
- Mumps**, 312
- Muscles**
 examining, 37–38
 lack of control of, 320
- N**
- Narrow-spectrum antibiotics**, 56, 425
- Natural balance**, 58
- Nausea** (See Vomiting)
- Navel (umbilicus)**, 425
 cutting the cord, 262–263
 hernia of navel, 317, 318
 infection of navel, 182, 272
- Neck**
 broken, 99
 stiff, 38, 182–185, 274
- Needs, felt and long-term**, w8–w12
- Needles**, 74, 399, 401
- Neonatal conjunctivitis**, 221
 (Also see Newborns)
- Nerves**, 425
 muscles and, 37–38
- Nevirapine**, 249, 400
- Newborns**
 and tetanus, 182–183
 bacterial infection of the blood, 275
 bathing, 7, 263, 270
 eyes, 221, 237, 270
 feeding, 120, 263, 271
 hernia, 317
 illnesses of, 272–275
 medicines for, 54, 272, 337
 problems with delivery, 268
 small, early, and underweight, 405
 the cord, 262–263, 270
 twins, 269
 (Also see Dehydration)
- Night blindness**, 113, 226–227, 337
- Nodes** (See Lymph nodes)
- Non-infectious diseases**, 18
- Nose, stuffy or runny**, 164–165, 384
- Nosebleed**, 11, 83
- Numbness** (See Loss of feeling)
- Nutrition**, w11, w13–w16, 107–130, 295
 (Also see Malnutrition)
- O**
- Obstructed gut**, 22, 94
 (Also see Gut)
- Older persons**, 83, 214, 235, 323–330
- Onchocerciasis**, 227–228, 378
- Opium**, 416
- Oral contraceptives**, 285–289, 394–395
- Outhouses**, 137–139
- Ovarian cyst**, 280
- Ovaries**, 36, 280, 425
- Oxytocics**, 50, 265–266, 319, 391
- Oxyuris (pinworm, threadworm)**, 141
- P**
- Pain**
 asking about, 29
 back, 173–174, 248
 chest, 179, 325
 in the belly, 12, 35–36, 94–95, 128, 146, 243
 in the eye, 217, 219, 221, 222
 in the joints, 101–102, 173, 310, 324

in the leg, 288
 in the teeth, 165, 231
 in urination, 146, 235–236, 239, 242–243
 medicines for, 19, 52, 75–76, 162, 335, 379–380
 (Also see Cramps, Headaches)

Pannus, 220

Pap smear, 280

Papaya, 13

Paralysis

examining for, 37
 from pesticides, 412
 from ticks, 201
 in a spastic child, 320
 in leprosy, 191
 in polio, 314–315
 in stroke, 37, 327
 in TB of backbone, 180
 of face, 37, 327

Parasites, 19, 425

intestinal, 19, 140–145, 308
 on skin, 19, 199–201

Patient report, 44

Pellagra, 114, 208–209

Pelvic inflammatory disease, 237, 243, 244, 396

Penis, 199, 232, 233, 235–240, 402–403

Peritonitis, 94–95, 129, 189, 425

Pertussis (See Whooping cough)

Pesticides

burns in eyes, 219
 causing birth defects, 247
 misuse of, 412–413

Pharmacist, words to, 338

Phlebitis, 288

PID (See Pelvic inflammatory disease)

Piles (hemorrhoids), 16, 175, 423

during pregnancy, 248
 medicine for, 392

the Pill (for birth control), 285–289, 394–395

Pimples, 211, 419

(Also see Chickenpox)

Pink eye, 219–221, 308

Pinta, 207

Pinworm (threadworm, Enterobius), 12, 141

Placenta (afterbirth), 262–264, 269, 426

Placenta previa, 249, 426

Plantar warts, 210

Plants

medicinal, 12–13
 that cause itching, 204

Play acting, w23

Pneumonia, 27, 41, 171, 399, 400, 413

Poisoning, 103, 398

food, 23, 135, 153, 161
 of pregnancy, 249, 422
 urine, 239–240

Poisonous

bites, 104–106
 plants, 204

Poliomyelitis (infantile paralysis), 314

signs of, 37
 vaccination, 147, 296, 314

Population, w10, 115

Posters, w22

Postpartum, 426

diet, 123
 hemorrhage, 266, 391

Postural drainage, 169

Power of belief or suggestion, 2–5, 24, 426

Pre-eclampsia (toxemia of pregnancy), 249

Pregnancy, 247–255

anemia during, 124, 248–249, 392, 393
 bleeding during, 249, 264, 281
 check ups during, w24, 250–253, 410
 danger signs in, 249–251
 difficulty becoming pregnant, 244
 ectopic, 36, 243, 249, 280, 414
 German measles during, 247, 312
 growth and position of baby, 251–252, 257
 how to prevent, 283–295
 how to stay healthy during, 247
 how to tell the baby's birth date, 252
 medicines during, 6, 54, 247
 minor problems of, 174, 248, 251
 nutrition during, 118, 250
 record of prenatal care, 253
 signs of, 247
 supplies to have ready before birth, 254–255
 (Also see Family planning)

Pregnancy mask, 207

Prenatal care, 250–253

Presentation of an arm, 268, 426

Pressure sores (See Bed sores)

Preventive medicine, w17, 17, 131–150

cleanliness, 131–136
 how to avoid many sicknesses, 108, 148–150,
 242, 326
 sanitation, 137–139
 sexually transmitted infection, 239, 401–403
 vaccinations (immunizations), 147
 worms and other intestinal parasites, 140–146

Prolapse of the rectum, 142, 426

Prophylactic (condom), 239, 285, 290, 396, 401–403

Prostate gland, 233, 235–236, 426

Protective foods, 110, 426

Proteins, 110, 111, 112, 113, 116–118, 121

Psoriasis, 216

Pterygium, 224, 426

Pulling out (to prevent pregnancy), 285, 294

Pulse, 32–33, 41, 410–411, 426, inside back cover

Pulsing or throbbing of stomach, 23

Pupils, examining, 217

Purges, 15–16

misuse of, 92, 126

Pyorrhea, 231

Q

Questions to ask a sick person, 29, 44

R

- Rabies**, 181
- Rash on the skin**, 216, 236, 400
 diaper rash, 215, 421
 like tiny bruises (typhus), 190
 of allergic reaction, 68, 166, 203–204, 358
 of chickenpox, 311
 of German measles, 312
 of measles, 30, 311
 of syphilis, 238
 of typhoid, 189
 preventing, 133
 with itching, 199–200, 203
- Reactions** (See Allergic reactions)
- Rebound pain**, 35, 95, 426
- Rectum**
 prolapse of, 142, 426
- Reflexes, testing**, 183, 426
- Rehydration Drink**, 152, 311, 382–383, 400, 426
 and vomiting, 161
 as an enema, 15
 for acute abdomen, 95
 for dehydration, 9, 46, 158, 306
 for newborns, 273
 for very sick persons, 40, 53
- Remedies** (See Home remedies)
- Resistance**, 426
 to antibiotics, w19, 57–58, 237, 351
 to infection, 108, 120, 271
- Resources**, w8, w12, 115, 283, 426
- Respiration** (See Breathing)
- Retardation, mental**, 114, 306, 318, 320–321, 426
- Rheumatic fever**, 27, 310
- Rheumatoid arthritis**, 324
- Rhinitis, allergic (hay fever)**, 165, 426
- Rhythm method**, 285, 291–292
- Ribs, broken**, 99
- Rickets**, 125
- Ringing of the ears, deafness, and dizziness**,
 107, 327, 359, 363, 379
- Ringworm**, 11, 205–206, 372
- River blindness**, 227–228, 378
- Road to health chart** (See Child Health Chart)
- Rotating crops, w13**, 115, 117, 427
- Roundworm (ascaris)**, 140–141
- Rubber (condom)**, 239, 285, 290, 396, 401–403
- Rubella** (See German measles)
- Rubeola** (See Measles)
- Rupture** (See Hernia)

S

- Salt**
 iodized, 130, 247, 318
 purges, 16
 using little, 120, 125, 176, 249, 325, 326
- Sanitation**, w10, 137–139, 153, 427
- Scabies**, 34, 199–200, 335, 373
- Scales (to weigh babies)**, 297
- Scars**
 on the cornea, 224, 226, 228
 on the eyelids, 220
 preventing burn scars, 97
- Schistosomiasis**, 146, 337, 377
- Scorpion sting**, 11, 106, 337, 388
- Scrofula**, 212
- Scrotum**, 233, 427
 small sores on, 199
 swollen, 317
- Seborrhea**, 215
- Senna leaf**, 16
- Septicemia**, 275, 427
- Serious illnesses**, w28, 42, 179–192
- Seven year itch**, 199–200, 335, 373
- Sexually transmitted infections (STI)**, 236–239,
 285–286, 290, 399–403, 427, 428
- Sheath (condom)**, 239, 285, 290, 396, 401–403
- Shigella**, 145, 158, 354, 359
- Shingles**, 204, 400
- Shock**, 30, 77, 325, 427
 allergic, 70, 105, 166, 351
 from serious burns, 97
 heartbeat during, 33, 410–411
 in postpartum mother, 265
- Shoulder, dislocated**, 101
- Sickle cell disease**, 30, 321, 393
- Sicknesses**
 causes of, 17–20, 107
 common, 151–178
 dangerous, w28, 42, 179–192
 “home,” 21
 “hot” and “cold,” 119
 infectious, 18–19
 non infectious, 18
 of children, 215, 272–275, 311–314
 of older people, 323–330
 of women, 241
 prevention of, 131–150
 spread of, 131–137, 140, 188–189, 237–239, 399
 telling apart, 20–21, 26–27
- Side pains**, 22
- Signs**, 20, 29, 427
- Sinus trouble (sinusitis)**, 165, 427
- Skin**
 cancer of, 211, 399
 chart of different diseases, 196–198
 diseases, 193–216, 406, 421
 dryness of, 107, 208
 how to examine, 34
 in children, 215, 308
 medicines for, 334–335, 371–374
 painless sores, 191, 237, 279
 TB of, 179, 212
 ulcers, 212–213
- Slipped disc**, 173
- Slowness** (See Defects, Mental problems)
- Smallpox**, 147
- Small sores with pus**, 201, 211
- Smoking**
 during pregnancy, 318, 416
 problems caused by, 119, 129, 149–150, 289,
 325, 326, 400, 416

Snails, 146

Snakebite, 104–105
antitoxin, 105, 337, 388
home cure for, 3

Soaks, 102

Social conditions, 283, 401, 415, 417

Soft drinks, 155, 161, 229

Soft spot (See Fontanel)

Solda con solda, 14

Sores

bed sores, 41, 214
chronic, 20, 127, 212, 213, 236, 324, 406
large, open, 127, 213–214
mouth, 232
of the feet, 324
on penis or genitals, 199, 205, 232, 237, 238,
242, 400, 402–403
sugar or honey treatment for, 213, 214
that keep growing, 127, 191, 211, 213, 214
without feeling, 191, 237, 279
with pus, 199, 201, 406
(Also see Skin)

Sore throat, 163, 309–310

Spasms, 183, 427
in spider bite, 106
in tetanus, 182–184
(Also see Fits)

Spastic, 38, 319–320

Sperm, 233, 244

Spermicide, 285, 396

Sphygmomanometer, 410

Spider bite, 106

Spleen, large, 158, 186, 393, 427

Sponge method, 294

Spontaneous abortion (See Miscarriage)

Spots before the eyes, 227

Sprains, 102, 427

Spread of disease, 131–137, 140, 190, 237–239,
399–403

Squint, 223

Starches, 110, 203, 408, 427

Starvation (See Malnutrition)

Sterile, 427

bandages, 87
men and women, 236, 244, 412

Sterilization, 427

of equipment, 74, 401
of syringes, 69, 72, 74
to prevent pregnancy, 285, 293

Steroids, 51

Stethoscope, 410

Sting

bee, 70
scorpion, 106

Stiches (sutures), 86, 255, 269, 423
anesthetics for, 380

Stomach ache, 12, 93, 427

(Also see Belly, Cramps)

Stomach ulcers, 128–129, 149, 381–382

Stools

in acute abdomen (obstruction), 94

in diarrhea (dysentery), 144–145

like rice water, 158

white or pale, 172

with blood, 128, 146, 189

with schistosomiasis, 146, 377

with typhoid, 189–190

with ulcer (black, tarry stools), 128

(Also see Constipation, Feces)

Story telling, w23

Strabismus, 223

Strains, 102

Strep throat, 310

Stretcher, 100

Stroke, 37, 78, 288, 327, 410

(Also see Heat stroke)

Sty (hordeolum), 224, 427

Suction bulb, 84, 255, 262, 268

Sugars, 110, 111, 382, 427

Sulfonamides, 55, 358

Sunken fontanel (See Fontanel)

Sunlight

and acne, 211

and rickets, 125

and skin problems, 195

Supplies

for childbirth, 254–255

for the medicine kit, 334, 336

Suppressants, 427

cough, 52, 384

Surgery

immediate need for, 91–95, 177, 222, 267

possible need for, 102, 175, 177, 211, 222,

225, 235, 243, 279, 280, 293, 317, 319, 329

Susto, 24

Suture (See Stitches)

Sweets, 115, 119, 122, 229, 408

Swelling

breast swelling and lumps, 278–279

caused by medicine, 68, 70–71, 231

home cure for, 12

in old age, 323

of broken arms or legs, 14

of hands and face, 108, 239, 249

of strains and sprains, 102

of the eyes, 144, 221, 313

of the feet, 113, 124, 144, 176, 248–249, 321

of the scrotum or testicles, 312, 317

with infection, 194

(Also see Lymph nodes, Swollen belly,
Varicose veins)

Swollen belly

different causes of, 20

in children, 107, 112, 114, 321

in giardia infection, 145

in gut obstruction, 94

in malnutrition, 112, 114

in pregnancy, 248, 249

(Also see Gut)

Symptoms, 29

Syphilis, 10, 237–238, 403

Syringe, 72, 74, 336, 339, 401, 405

T

Taboo, 23, 428
T.A.L.C., 297, 429
Tapeworm, 143, 376
TB (See Tuberculosis)
Teaching, w2, w4–w5, w21–w28, 321
 materials, addresses for, 429–432
Tear sac, infection of, 217, 223
Teaspoons, for measuring, 61
Teeth, 133, 229–232
Temperature, 30–31, 272, 409, inside back cover
 (Also see Fever)
Tepeguaje, 14
Testicles, 233
 swellings of testicles, 312, 317
Tetanus (lockjaw), 182–184
 from a wound, 84, 89, 407
 in the newborn, 182–183, 273
 medicine for, 336–337, 389–390
 vaccination, 147, 184, 296
Thalassemia, 393, 428
Thermometer, 31, 334
Threadworm (pinworm, Enterobius), 141
Throat
 lump on the throat, 10, 130, 423
 object stuck in, 79
 sore throat, 163, 309–310
Throwing up (See Vomiting)
Thrush (moniliasis), 232, 242, 400
Ticks, 190, 201, 428
Tinea, 205–206
Tinea versicolor, 206
Tobacco, 129, 416–417
Tongue, 232
Tonsillitis (Inflamed tonsils), 309
Toothache, 231
Toothbrush, homemade, 230
Toothpaste, 230
Toxemia of pregnancy (eclampsia), 249, 422
Trachoma, 220
Traditions, w3, w11, 1, 2, 21
Trichinosis, 144
Trichocephalus (whipworm, Trichuris), 142
Trichomonas, 241
Trichuris (whipworm, Trichocephalus), 142
Tropical sore (See Leishmaniasis)
Tubal ligation, 293
Tuberculosis, 108, 179–180, 337
 and AIDS, 400
 and children, 136
 and measles, 311
 medicines for, 361–363
 of the lymph nodes, 212
 of the skin, 212
 of the spine, 173
 signs of, 30, 37
 vaccination, 147
Tumors (See Cancer)
Twins, 251, 256, 269, 289
Twisted joint (sprain), 102

Typhoid fever, 188–190

fever pattern, 26
 medicines for, 357–358
 pulse with, 33
 resistance to medicines, 58

Typhus, 26, 190

U

Ulcer, 428
 on the cornea (eye), 224–225
 skin, 20, 212, 213, 324
 stomach, 13, 36, 53, 128–129, 149, 382
Umbilical cord, 428
 and tetanus, 182
 how to cut, 262–263
 infection of, 270, 272
 wrapped around the baby's neck, 268
Umbilical hernia, 317, 318, 428
Umbilicus (See Navel)
Uncinaria (hookworm), 133, 142
Unconscious person, 78, 424
 breathing of, 32
 difference in pupil size, 33
 in shock, 77
Under-Fives Program, w20, w24, 297, 428
Undulant fever (brucellosis), 27, 188
Units, measuring in, 60
Uremia, 239–240
Ureters, 233
Urethra, 233, 235, 428
Urination, difficulties with, 234–236, 239–240,
 324, 403, 410
Urinary tract, 36, 233–234, 428
Urine
 blood in, 146, 234, 377
 brown, 172
 dark yellow, 151
 less than normal, 151, 236
 too much or often, 127, 234
 pus in, 236
Using this book, inside front cover, w28
Uta (See Leishmaniasis)

V

Vaccinations, 19, 147, 180, 250, 296, 321, 337,
 405
Vagina, 233, 428
 infections of, 241–242, 370
 placenta blocking, 249
 tearing during birth, 269
Vaginal discharge, 241–242, 370–371
Vapors, breathing hot water vapors, 47, 168
Varicose veins, 175, 213, 288, 410, 428
 and chronic sores, 20, 212, 213, 324
 during pregnancy, 248
Vasectomy, 293

- Veins, inflamed**, 288
(Also see Varicose veins)
- Venereal diseases (VD)** (See Sexually transmitted infection)
- Venereal lymphogranuloma**, 238, 420
- Ventilated improved pit latrine**, 139
- Verrucase (warts)**, 210
- Village health committee**, w24
- Village health worker**, w1–w7, w29, 43, 340
- Village medicine kit**, 336–337
- Village storekeeper**, 338
- VIP latrine**, 139
- Virus**, 19, 399–401
- Vision** (See Eyes)
- Vital signs**, 41, inside back cover
- Vitamins**, 110, 111, 116–118, 392–394, 405
injections of, 65, 67, 118
the best way to get, 52, 118
vitamin A, 226, 392
vitamin B, 208
vitamin C, 248, 335,
vitamin B₆, 361, 394
vitamin B₁₂, 51, 65, 393
vitamin K, 265, 272, 337, 394
(Also see Iron)
- Vitiligo**, 207
- Vomiting**, 161
during pregnancy, 248, 249
enemas and laxatives with, 15
how to cause vomiting, 103, 389
in the newborn, 273
medicines for, 161, 335, 386–387
violent vomiting, 151
with blood (cirrhosis), 328
with blood (ulcer), 128
with diarrhea, 151, 157
with urine poisoning (uremia), 239

W

- Wandering eyes**, 223
- Warm compresses**, 193–195
- Warts**, 210, 212, 400, 402
- Water, healing with**, 45–48
and cleanliness, 46, 131, 135, 137–139, 144, 146
and spread of disease, 146, 188
for fever, 75
to ease pain of burns, 96
vapors, 47, 168, 384
- Weakness, fatigue**, 23, 124, 323, 400
- Weight**
and diet, 110–111, 127
deciding dosage by, 340
homemade scales, 250
importance of losing, 125–127, 325–326
in pounds and kilos, 62
measuring medicines, 59–61
weight gain, in children, 297–304
weight gain in pregnancy, 247, 250

- Weight loss**
chronic, 179, 180, 400
different causes, 20
how to lose weight, 126
in the newborn, 273
sudden (dehydration), 151
(Also see Malnutrition)
- Welts (hives)**, 68, 203, 238
- Wet malnutrition (kwashiorkor)**, 113
- Whipworm (Trichuris, Trichocephalus)**, 142
- White spots and patches on the skin**, 206–207, 232
- Whooping cough (pertussis)**, 168, 313
medicines for, 336
vaccination, 147, 296
- Witchcraft**, 5, 24
- Withdrawal**
from drug addiction, 417
to prevent pregnancy, 285, 294
- Womb**, 428
cancer of, 280
contractions of, 258, 266
massaging, 264–265
position of the baby in, 251, 257
- Women's health care**, 241
- Working together**, w5, w24
- World Health Organization**, 49, 432
- Worms**, 140–146, 227–228, 406–407
causing obstructed gut, 94
in children, 308
medicines for 335, 374–376
prevention of, 47, 131–134
- Wounds**
abdomen, 92
bullet, 90–93
chest, 91
controlling bleeding of, 82
deep, 89–92
from a broken bone, 99
how to close them, 85–86
infected, 88–89, 213, 401
knife and bullet, 89–93
medicines for, 93, 334
small, 84
that may cause tetanus, 89, 182
to the eye, 217–218

X

- Xerophthalmia**, 113, 226, 306, 337, 392, 428
- Xerosis** (See Xerophthalmia)
- X ray**, 102

Y

- Yeast infection**, 58, 232, 242, 370–371, 373
- Yesca**, 11
- Yogurt**, 57, 232, 242