

**A****AA (Alcoholics Anonymous)**, 440**Abdomen pain**, 352–357

- after abortion, 255–257, 258, 355
- after childbirth, 355
- after passing urine, 367
- with bleeding from vagina, 354, 355, 359
- brief, during middle of monthly cycle, 356
- during monthly bleeding, 50, 354
- during pregnancy, 73, 355
- during sex, 189, 272, 356
- examining the abdomen, 534
- with fever, 355
- fibroids, 129, 231, 354, 380
- hunger and, 357
- with IUD, 217, 354, 356
- kinds of pain, 354–356
- miscarriage, 98, 234–235, 354, 355
- monthly bleeding late, 354
- overview, 352, 353
- pelvic inflammatory disease (PID), 274
- questions about, 357
- severe, 354, 355, 357
- STIs, 263, 267, 355
- sudden and severe, 354
- tubal pregnancy, 73, 249, 354, 355
- with urine system problems, 355
- when moving, walking, or lifting, 356
- without other signs, 356
- womb infection, 97

**Abortion**, 38, 238–259

- bleeding from vagina after, 251–253, 363, 483
- complications, 251–258
- danger signs after, 249
- dangers of, 64
- death from, 241
- deciding about, 243
- emergency methods of family planning, 224–225
- fainting after, 258
- family planning after, 250
- illegal, 242
- incomplete, 245
- infection from, 255–257
- internal injury, 258
- preventing unsafe abortion, 259
- rape and, 336
- reasons for, 239–240
- refugees and displaced women, 452
- safe methods, 241, 242, 244–245
- shock after, 254
- tetanus infection after, 256
- unsafe, 3, 241, 246–247, 259
- what to expect after, 249
- what to expect during, 248

**Abscesses**

- in breasts during breastfeeding, 382
- in persons with AIDS, 307

**Abuse (See Rape; Violence against women)****Access to health care**, 1, 2, 35**Acetaminophen**, 490**Activated charcoal**, 495**Active listening exercise**, 426**Activities, ideas for**

- about division of work, 411
- analyzing root causes, 26, 27
- avoiding work-related health problems, 404–406, 410–411
- building a chain of causes that contribute to poor health, 10
- building stoves that make less smoke, 395–397
- carrying out a plan, 28
- expressing feelings, 422, 427–428
- gender roles and sexual health, 184–185, 194–195
- girls to plan a better future, 57–58
- improve nutrition, 176–179
- improving health services, 40–41
- making a safety plan, 322
- men about violence against women, 325
- negotiating condom use, 193, 280
- preventing AIDS, 195, 310
- promoting family planning, 227
- reducing maternal deaths, 103
- sex workers, 348–351
- support groups, 424–426
- supporting breast feeding, 121
- teaching self-defense, 332, 146
- violence against women, 315
- women with disabilities, 147
- young people to avoid drug and alcohol abuse, 445

**Acupressure massage**, 546–547**Acyclovir, for cold sores or fever blisters**, 301, 305, 490**Addiction (See Alcohol; Drugs; Tobacco)****Adolescents (See Girls)****Adopting a child**, 236**Adrenaline**, 490**AIDS (See HIV/AIDS)****Alcohol**, 434–445

- addiction, 437, 441
- dependence, 437
- during breastfeeding, 109, 438
- fertility and, 232
- health problems, 163, 438–439
- hepatitis B and, 277
- HIV/AIDS and, 291
- living with person misusing, 444
- menopause and, 125
- mental health and, 418
- misuse of, 436–437
- overview, 435

**Alcohol (continued)**

- pregnancy and, 68, 438
- preventing misuse, 445
- quitting, 440–441
- reasons for misuse, 437
- reasons to begin using, 436
- sex and, 62
- staying free of, 442
- violence and, 315, 318
- withdrawal, 441
- women and, 439

**Alcoholics Anonymous**, 440**Allergic reactions**

- to cotrimoxazole, 296, 300
- from injections, 545
- to medicines, 477
- medicines for, 483
- in persons with AIDS, 296, 300

**Aminoglycosides**, 481**Amoxicillin**, 490

- for chlamydia, 268
- for deinfibulation, 465
- for infection from female genital cutting, 462
- for infection prevention after abortion, 249
- overview, 480

**Ampicillin**, 491

- for burns, 538
- for fever during birth, 86
- for infection after abortion, 256–257
- for womb infection, 97
- overview, 480

**Anal sex**, 185, 187, 189**Anemia (See Weak blood)****Angry cat exercise**, 71**Antibiotics**, 480–481

- families of, 480–481
- importance of, 480
- the pill and, 209
- for STIs, 264, 347
- using only when necessary, 481
- for wounds and sores, 307
- (Also see **Medicines**)

**Antibodies, HIV**, 288**Antihistamines, for allergic shock**, 544**Antiretrovirals (See ART)****Anus**, 44**Anxiety**, 420

- in older women, 135
- (Also see **Feelings**)

**Appetite (See Hunger)****Areola**, 45**Armpit, taking the temperature**, 530**Arms, weakness in**, 210

**ART, antiretroviral therapy**, 291, 292, 336, 517–521  
 drug resistance and, 291, 517  
 for preventing mother-to-child transmission, 292–293, 520  
 for rape, 520  
 regimens, 578  
 side effects, 578  
 specific medicines, 519–520

**Arthritis**, 133, 174

**Aspirin**, 492  
 for abortion, 471  
 for burns (pain), 538, 539  
 cautions about dosage, 133  
 for joint and muscle pain, 133  
 overview, 482

**Assault (See Rape; Violence against women)**

**Azithromycin**, 492  
 overview, 480  
 for STIs, 268, 271, 347

**AZT**, 520, 292, 518

## B

### Babies

burping, 107  
 care at birth, 83  
 care just after birth, 95  
 checking position, 77, 81  
 child-spacing, 110, 160  
 danger signs at birth, 94, 95  
 death of, 99  
 DES caution, 471  
 early, 94, 118  
 first foods for, 107, 110  
 herpes and, 272  
 HIV/AIDS and, 292–293, 520  
 holding during breastfeeding, 108  
 infertility, 228–237  
 losing (miscarriage), 98, 234–235  
 not breathing at birth, 94  
 open (cleft) lip or palate, 118  
 preventing mother-to-child transmission of HIV/AIDS, 520  
 sex of, 46  
 sick, breastfeeding, 119  
 small, 94, 118  
 STIs and problems in, 276  
 syphilis and, 270  
 TB in mother; 390  
 tetanus in newborn, 95  
 waiting to have, 58  
 in wrong position, 72, 75, 85, 90  
 yellow (jaundice), 118  
 (Also see **Breastfeeding**;  
**Childbirth**; **Children**; **Family planning**; **Pregnancy**)

**Bacille Calmette-Guerin (BCG) vaccine**, 390, 391

### Back pain

from work with crafts, 406  
 during pregnancy, 71  
 exercises to prevent, 71, 400  
 kidney infection and, 367  
 lifting and carrying heavy loads, 398–400  
 in older women, 132

**Bacterial vaginosis**, 266, 268

**Balls (See Testicles)**

**Bandages, disinfecting**, 529

### Barrier methods of family planning

after abortion, 250  
 choosing a method, 200, 224  
 condoms, 60, 61, 128, 145, 189–190, 192–193, 202–203, 279, 280  
 diaphragms, 145, 205, 279  
 effectiveness of, 201  
 female condoms, 190, 193, 204, 279  
 overview, 200, 202  
 (Also see **Condoms**; **Diaphragms**;  
**Female condoms**)

**Bartholin gland infection**, 276

**Battered women (See Violence against women)**

**BCA (See Bichloroacetic acid)**

**BCG (Bacille Calmette-Guerin) vaccine**, 390, 391

**Beatings (See Violence against women)**

**Belly pain (See Abdomen pain)**

**Bending safely**, 399

**Benzathine penicillin**, 493  
 for genital sores, 270  
 overview, 480

**Benzylpenicillin**, 493  
 overview, 480  
 for tetanus in newborns, 95

**Beriberi**, 173

**Betel (See Drugs)**

**Bichloroacetic acid (BCA), for genital warts**, 269

**Bilharzia**, 369

**Biopsy**, 378–379, 383

**Birth canal (See Vagina)**

**Birth control (See Family planning)**

**Birth (See Childbirth)**

**Bladder control problems**, 372–373

**Bladder infection**, 366–368  
 (Also see **Urine system problems**)

**Bladder (man's), 46**

**Bladder stones**, 369

### Blame

abuse and, 317, 318  
 for rape, 327

**Bleach, disinfecting solution**, 527

### Bleeding

blood in sputum, 389  
 blood in urine, 369  
 HIV/AIDS contagion and, 285

### Bleeding from vagina

after abortion, 251, 363, 483  
 after childbirth, 84, 92–93, 97, 362, 483, 547  
 after female genital cutting, 461  
 after menopause, 129, 363, 381  
 after miscarriage, 98, 235, 363  
 after sex, 363  
 before baby is born, 85, 362  
 danger signs, 359  
 during pregnancy, 73, 74, 362  
 during sex, 274  
 fibroids, 380  
 hormonal method of family planning and, 207  
 medicines for, 483  
 pain in abdomen with, 355, 363  
 problems with monthly bleeding, 360–361  
 weak blood (anemia) and pregnancy risks, 72, 73  
 (Also see **Monthly bleeding**)

**Blindness, vitamin A and**, 169

**Blisters from burns**, 538

**Blocked duct**, 116–117

**Blood clot, the pill and**, 208

**Blood flukes**, 369

**Blood infection (sepsis), after female genital cutting**, 461

**Blood pressure**, 532–533  
 (Also see **High blood pressure**)

**Blood transfusions**, 39  
 HIV and, 285

**Blood, weak (See Weak blood)**

**Boiling water to purify**, 155

**Boils**, 307

**Bones, weak (osteoporosis)**, 133, 168

**Book for Midwives, A**, 66

**Bottle-feeding, harm from**, 106

**Bottom first (breech) baby**, 75, 77, 90–91

**Boyfriends, 59-61**

date rape, 62, 328

**Brand name medicines, 473****Breast cancer, 382-383**

breast lumps and, 129  
hormonal methods of family planning and, 207

**Breastfeeding, 104-121**

advice for mothers, 109-110, 293  
babies with special needs, 118  
bottle-feeding, harm from, 106  
burping the baby, 107  
calcium needs, 168  
chemicals and, 402  
child-spacing and, 110, 160  
colostrum, 107  
concerns and problems, 114-118  
death of baby, 99  
diet during, 109, 167-169, 171  
as family planning, 96, 201, 218  
by friends or relatives, 111  
giving other foods, 107, 110  
HIV/AIDS and, 120, 285, 293  
how to breastfeed, 107-109  
importance of, 105  
medicines, caution about, 477  
for new babies, 107  
nipple concerns, 114-115  
by pregnant mother, 119  
sick baby, 119  
by sick mother, 119  
signs baby has enough milk, 114  
suckling, easing for baby, 115  
suckling, importance of, 106  
support for, 121  
twins, 118  
working for change, 121  
for working mothers, 111

**Breast milk**

breast size and, 114  
color of, 107, 113  
colostrum, 107  
feeding with cup, 119  
increasing supply of, 114  
removing by hand, 112  
removing with warm bottle method, 113  
signs baby has enough, 114  
stopping flow using medicine, 471  
storing, 113

**Breasts**

cancer, 129, 207, 382-383  
changes during puberty, 54  
death of baby and, 99  
discharge from nipple, 382  
engorged (mastitis), 116, 382  
exams, 159, 162  
illustrated, 45  
lumps, 116, 129, 162, 382  
overview, 45  
painful or swollen, 116-117  
(Also see **Nipples**)

**Breathing**

baby not breathing at birth, 94  
fast, 531  
after taking medicines, 479  
in newborn, 95  
pneumonia and, 304  
shock and, 254  
normal, 531  
respiration (breathing rate), 531  
shortness of breath, 172, 210, 402  
slow, 531  
smoke and health problems, 394  
stress and, 421

**Breech baby, 75, 77, 90-91****Bromocriptine, 471****Brown waters during labor, 86****Bumps on genitals, 269**

(Also see **Growths**)

**Burns, 538-539**

rehydration drink, 540

**Burping the baby, 107****Buttock, injecting, 544****C****Caffeine**

fertility and, 232  
menopause and, 124  
PMS and, 51

**Calamine lotion, 301****Calcium, 168****Cancer, 374-385**

alcohol and, 438  
breast, 129, 207, 382-383  
causes, 376  
of cervix, 21, 267, 377-379, 471  
DES causing, 471  
drugs and, 438  
fibroids and, 129  
hormonal methods of family planning and, 207  
incurable, 385  
Kaposi's sarcoma, 301  
liver, 384  
lung, 384  
mouth and throat, 384  
ovaries, 383  
overview, 375-376  
overweight and, 174  
in sex workers, 344  
signs, 376  
stomach, 384  
treating early, 376  
of womb, 381  
vaccine for cervical cancer, 379  
working for change, 385

**Candida, 265-266, 300**

(Also see **Yeast infections**)

**Capsules, 474**

(Also see **Medicines**)

**Caretaking**

babies at birth, 83  
babies just after birth, 95  
elder care, 136-137  
mothers after childbirth, 95, 96  
persons with AIDS, 294, 309  
self care during monthly bleeding, 55

(Also see **Health care skills**)

**Carrying loads safely, 399****Cash crops, 179****Catheter, 372-373****Cavities, 154****CD4 count, for people with HIV, 517****Cefixime, 493**

for gonorrhea, 268  
for kidney infection, 368  
overview, 481  
for PID, 275

**Ceftriaxone, 494**

for chancroid, 271  
for gonorrhea, 268  
for infection after abortion, 257  
for kidney infection, 368  
overview, 481  
for PID, 275

**Cephalexin, 481, 494****Cephalosporins, 481****Cereals**

for babies, 107, 110  
rehydration drink, 540

**Cervix**

cancer, 377-379, 471  
growths, 377  
illustrated, 45  
inflammation, 377  
opening during labor, 79, 81  
overview, 45  
pelvic exam, 159, 535-538  
removal of, 379  
visible at vaginal opening, 161

**Cesarean section, 38****Chancroid, 271****Check-ups (See Exams)****Chemicals**

cancer and, 376  
lead poisoning, 403  
mental health and, 418  
pregnancy and, 68  
washer-woman's hands, 409  
in water source, 127, 401  
work with, 402-403

**Childbirth, 80-94**

abortion, 238-259  
acupressure massage for, 547  
baby early or small, 94  
baby in wrong position, 72, 75, 85, 90-91

**Childbirth (continued)**

baby not breathing, 94  
 bleeding after, 84, 92–93, 97, 362, 483, 547  
 bleeding before, 85  
 breech birth, 90–91  
 caring for baby after, 95  
 caring for baby at birth, 83  
 caring for mother after, 95, 96  
 cervix opens, 81  
 checking baby's position, 77, 81  
 cord around baby's neck, 89  
 cord comes out before baby, 88  
 cutting the cord, 83  
 danger signs after, 97  
 danger signs during labor, 85–87  
 danger signs for baby, 94, 95  
 daughters unwanted, 7  
 death of baby, 99  
 death of mother, 101–103  
 difficult births, 88–93  
 fathers, advice for, 100  
 female genital cutting problems, 464  
 fever during, 86  
 further information, 66  
 of head, 82  
 health care for mother, 160–161  
 at health center or hospital, 72  
 health risks, 3  
 helping, 79, 81–84  
 HIV/AIDS and, 285, 292–293, 520  
 long labor, 86  
 medicines for hurrying birth, 471  
 by operation, 38  
 placenta, 84, 92–93  
 positions comfortable for, 81  
 premature birth, 72, 75, 94  
 preparing for, 78–79  
 preventing mother-to-child  
 transmission of HIV during, 520  
 pushing the baby out, 82  
 refugees and displaced women, 452  
 separating partners after, 222  
 of shoulders, 82, 88  
 signs that labor is near, 80  
 stages of labor, 80–84  
 supplies needed, 78  
 toxemia, 72, 74, 85  
 twins, 72, 89  
 waters breaking, 81, 85, 86  
 when breastfeeding another child,  
 120  
 when young, 59, 72  
 women with disabilities and, 72, 145  
 working for change, 101–103  
 (Also see **Abortion; Family planning; Pregnancy**)

**Child care cooperatives, 158****Children**

abuse and, 317  
 calcium needs, 168  
 child care cooperatives, 158  
 child-spacing, 110, 160

**Children (continued)**

drug and alcohol use, 438  
 feeding before self, 171  
 infertility, living with, 236–237  
 number of, 179  
 preventing drug and alcohol misuse  
 in, 445  
 sexual abuse of, 329, 331  
 violence against women and, 315,  
 317, 320  
 waiting to have, 58  
 women's health issues and, 12  
 (Also see **Babies; Childbirth; Family  
 planning**)

**Child-spacing, 110, 160****Chills**

after abortion, 256  
 with IUD, 217  
 kidney infection and, 367  
 womb infection and, 97

**Chinese acupressure massage, 546–547****Chlamydia**

how spread, 189  
 in babies, 274  
 preventing, 189–190  
 signs, 267  
 treatment, 25, 268

**Chloramphenicol, 495**

for baby eye care, 83

**Chlorine bleach, disinfecting solution, 527****Chloroquine, abortion from, 241****Cholera, killing germs, 155****Chores (See Work; Working mothers)****CHWs (See Health workers)****Cigarettes (See Tobacco)****Ciprofloxacin, 496**

for chancroid, 271  
 for gonorrhea, 268  
 for infection after abortion, 257  
 for kidney infection, 368  
 overview, 481  
 for PID, 275

**Circumcised women (See Female genital cutting)****Clap (See Gonorrhea)****Cleanliness, 150–157**

abortion and, 246  
 bladder infection and, 366  
 care of baby at birth, 83  
 community (sanitation), 151–152  
 diarrhea and, 299  
 disinfecting equipment and tools,  
 526–529  
 during monthly bleeding, 55  
 during pregnancy, 68  
 food safety, 156–157

**Cleanliness (continued)**

germs, spread of, 150–151  
 helping at birth, 79  
 HIV prevention at home, 295  
 home, 153–157  
 kidney infection and, 366  
 for new mother, 96  
 personal, 154  
 preventing infection, 525–529  
 tooth care, 154  
 washer-woman's hands, 409  
 washing your hands, 526  
 of water, 151, 155, 401  
 when removing breast milk, 112  
 for women with disabilities, 142

**Cleft lip or palate, in baby, 118****Clindamycin, 496**

for bacterial vaginosis, 266, 268  
 for infection after abortion, 257  
 for womb infection, 97

**Clitoris, 44**

(Also see **Female genital cutting**)

**Cloth dressings, disinfecting, 529****Clothing, menopause and, 124****Clotrimazole, for yeast, 266****Cocaine (See Drugs)****Codeine, 497**

for burns (pain), 539  
 overview, 482  
 for persons with AIDS, 308

**Coffee (See Caffeine)****Coitus interruptus, 222****Cold sores, 305****Colostrum, 107****Colposcopy, 378****Communication**

about family planning, 199  
 about rape, 337, 339  
 about safer sex, 192–193  
 about violence against women, 323  
 gender messages in the media, 195  
 with parents, 65

**Community**

changes and mental health, 417  
 cleanliness (sanitation), 151–152  
 creating picture of, 428  
 health projects, 16  
 low status of women, 7–8, 11  
 medicine kit, 484  
 men's responsibilities, 14  
 mental health of, 433  
 preventing AIDS, 310  
 preventing rape, 338–339  
 safer sex in, 280–281  
 services for older women, 137  
 sex workers and, 351  
 solving health problems, 28–29  
 values learned from, 56, 139, 182–  
 183

**Community (continued)**

- violence against women and, 320, 324
- women's health issues, 13–16
- (Also see **Gender roles**; **Support groups**; **Working for change**)

**Community health workers (See Health workers)****Condoms, 202–203**

- after abortion, 250
- arguments for using, 189–193
- disposing of, 203
- effectiveness of, 201
- female condoms, 190, 193, 201, 204, 279, 346
- importance of using, 60, 61, 128, 189–193, 279
- lubricants for, 203
- oils and, 128
- overview, 202–203
- practice putting on, 280
- sex workers and, 346, 348
- STI prevention, 279
- torn or slipped off, 202
- using, 190, 193, 202–203
- women with disabilities and, 145
- working for safer sex, 280–281
- (Also see **Female condoms**)

**Cone biopsy, 379****Constipation**

- during pregnancy, 70
- older women's problems passing stools, 130
- removing stool, 372

**Contagion**

- cancer, 376
- HIV/AIDS, 284, 285
- infectious diseases, 21
- spread of germs, 150–151
- tuberculosis (TB), 387, 388
- (Also see **STIs**)

**Contour ditches, 177****Contraception (See Family planning)****Contraceptive foam, 524**

- (Also see **Spermicides**)

**Contractions**

- birth process, 80
- labor too long, 85
- stage one of labor, 81
- (Also see **Childbirth**)

**Contractures, 143****Cooking**

- fire safety, 394
- food safety, 156–157
- haybox cooker, 397
- rocket stove, 396–397
- smoke and health problems, 394–397
- (Also see **Cleanliness**; **Diet**)

**Cooler for food, 157****Cooperatives, food, 177****Coping skills, 422–423****Copper-T (See IUDs)****Cord**

- around baby's neck, 89
- care of baby after birth, 95
- comes out before baby, 88
- cutting baby's at birth, 83
- of placenta, 84

**Cotrimoxazole, 497**

- allergic reaction to, 296, 300
- for babies born to mothers with HIV, 520
- for bladder infection, 368
- for diarrhea, 296
- for discharge, 24
- for kidney infection, 368
- for persons with AIDS, 296, 304
- for pneumonia, 304

**Coughing**

- from chemicals, 402
- by persons with AIDS, 303–304
- tuberculosis (TB) and, 388, 389

**Cough syrup, 303****Counseling, for HIV-positive people, 289****Crafts, health problems, 406****Cramps**

- acupressure massage for, 546–547
- after abortion, 249, 255, 258
- in legs during pregnancy, 71
- in monthly cycle, 50

**Cream, contraceptive, 524**

- (See also **Spermicides**)

**Creams, 474**

- (Also see **Medicines**)

**Creative exercises for support groups, 428****Crops**

- cash crops, 179
- improving nutrition, 176–179

**Cryotherapy, 379****Cupboard cooler, 157****Cutting baby's cord at birth, 83****Cysts**

- Nabothian, 377
- ovaries, 383
- (Also see **Growths**)

**D****D&C (dilation and curettage)**

- abortion, 38, 244, 248

**Danger signs**

- abnormal discharge, 265
- after abortion, 249, 251, 254, 255, 256, 258

**Danger signs (continued)**

- after childbirth, 97
- after female genital cutting, 460
- allergic reactions, 300, 477
- for baby at birth, 94, 95
- bladder infection, 367
- bladder stones, 369
- bleeding from vagina, 359
- blood pressure drops suddenly, 532
- cancer, 376
- cancer of the breast, 382
- cancer of the cervix, 377
- cancer of the womb, 381
- chemicals and health problems, 402
- dehydration, 298
- depression, 419
- during labor, 85–87
- during pregnancy, 72–73
- fast pulse, 531
- hepatitis B, 277
- high blood pressure, 130
- infection after abortion, 255, 256
- IUD problems, 217
- kidney infection, 367
- kidney stones, 369
- medicines, allergy to, 477
- medicines, taking too much, 479
- mental illness (psychosis), 432
- miscarriage, 98, 235
- pelvic inflammatory disease, 274
- pneumonia, 304
- polyps, 380
- respiration (breathing rate), 531
- shock, 254, 461, 545
- spoiled foods, 156
- sugar sickness (diabetes), 174
- syphilis, 270
- tetanus, 461
- from the pill, 210
- trauma reactions, 420–421
- of tuberculosis (TB), 389
- unsafe abortion, 241, 246–247
- violence against women, 318, 325
- withdrawal from alcohol or other drugs, 441
- (Also see **Health risks**; **Solving health problems**; *specific signs*)

**Date rape, 62, 328**

- avoiding, 330–331

**Death**

- accepting, 137
- from AIDS, 309
- from alcohol and other drugs, 438
- of baby, 99
- from cancer, 385
- from cancer of the cervix, 379
- during pregnancy or childbirth, 101–103
- mental health and, 417
- Mira's story, 9–11
- pressure sores and, 142
- from syphilis, 270
- from tuberculosis (TB), 387

**Death (continued)**

from unsafe abortion, 3, 241  
(Also see **Violence against women**)

**Debt, structural adjustment and, 8****Decayed teeth, 154****Dehydration**

from burns, 539  
rectal fluids, giving, 541  
rehydration drink, 540  
shock, treating with fluids, 540–541  
signs, 298  
(Also see **Water**)

**Dementia (mental confusion)**

in older women, 135  
in persons with AIDS, 308

**Dengue fever, spread of, 151****Dependence (See Alcohol; Drugs; Tobacco)****Depo Provera, 214, 215****Depression**

in older women, 135  
in people with HIV/AIDS, 296  
signs, 419  
suicide, 419, 431  
(Also see **Feelings**)

**DES (diethylstilbestrol), cancer risks from, 471****Desire**

lack of, 188  
in women for sex, 185

**Dexamethasone, 498**

for allergic reactions, 483, 545

**Diabetes (See Sugar sickness)****Diagnosis (See Danger signs; Exams and tests; Solving health problems; specific signs)****Diaphragms**

after abortion, 250  
effectiveness of, 201  
overview, 205  
for sex workers, 346  
spermicides, 206  
using, 205  
women with disabilities and, 145

**Diarrhea**

in babies, 119  
pain in belly with fever and, 355  
in persons with AIDS, 298–299

**Diazepam, 498**

giving during a seizure, 87

**Dicloxacillin, 498**

for breast infection, 117  
for burns, 539  
overview, 480  
for wounds and sores, 307

**Diet, 164–179**

baby's first foods, 107, 110

**Diet (continued)**

cleanliness, importance of, 150  
disease and poor nutrition, 172–175  
during breastfeeding, 109, 167–169, 171  
during menopause, 124, 171  
during pregnancy, 68, 167–169, 171  
emergency food distribution, 449  
family, feeding first, 171  
food safety, 156–157  
of girls compared to boys, 171  
girls' health and, 53, 171  
harmful ideas, 171  
helper foods, 166  
HIV/AIDS and, 285, 291  
importance of good food, 165  
improving nutrition, 176–179  
low-cost foods, 170  
main foods, 166  
medicines and food, 478  
for new mother, 96  
for older women, 126  
packaged foods, 170  
poor nutrition, 2  
poverty and, 165, 170  
for pressure sore prevention, 142  
problems from eating wrong, 174–175  
problems with mouth or throat and, 304–305  
quitting alcohol and, 441  
for refugees and displaced women, 449  
selecting foods, 157  
for sick people, 171  
signs of spoiled foods, 156  
storing food, 157, 177  
vitamins and minerals, 167–170  
for weak blood (anemia), 73  
weak bones and, 133  
(Also see **Breastfeeding**)

**Diethylstilbestrol (DES), cancer risks from, 471****Digestion, stress and, 421****Dilation and curettage (D&C) abortion, 38, 244, 248****Diphenhydramine, 499**

for allergic reactions, 483, 545

**Disabled Village Children, 138, 366****Disabled women (See Women with disabilities)****Discharge from nipple, 382****Discharge from penis, 267****Discharge from vagina**

abnormal, 265–268  
bad-smelling after abortion, 256  
bad-smelling after childbirth, 97  
pelvic inflammatory disease, 274–275

**Disease (See Illness; Preventing illness)****Disinfecting equipment and tools, 526–529**

bandages, 529  
gloves, 529  
high-level disinfection, 526–528  
needles, 528  
storing tools, 528

**Displaced women (See Refugees and displaced women)****Dizziness**

anemia and, 172  
from chemicals, 402  
during pregnancy, 73  
high blood pressure and, 130  
from medicines, 479

**Domestic workers, 409****Dosages of medicine**

measuring, 474–475  
(Also see **Medicines; specific medicines**)

**DOTS treatment for TB, 391****Douching, 154**

mucus method of family planning and, 220  
by sex workers, 346  
STIs and, 279

**Doxycycline, 499**

for discharge, 268  
for infection after abortion, 256, 257  
overview, 480  
for PID, 275  
to prevent infection after abortion, 249  
for syphilis, 271

**Dress, menopause and, 124****Dressings, disinfecting, 529****Drugs, 434–445**

addiction, 437, 441  
dependence, 437  
during breastfeeding, 109, 438  
health problems from, 163, 438  
HIV/AIDS and, 291  
living with person misusing, 444  
mental health and, 418  
misuse of, 436–437  
overview, 435  
staying free of, 442  
violence against women and, 318  
withdrawal, 441  
women and, 439  
(Also see **Alcohol; Medicines; Tobacco**)

**“Dry” sex, 190, 279****Ducts**

of breasts, 45  
(Also see **Fallopian tubes**)

**Dying (See Death)**

**E**

**Earning a living** (See **Work; Working mothers**)

**Ears**

acupressure massage, 547  
hearing loss in older women, 134  
ringing in, 130, 479

**Eating** (See **Diet**)

**Eclampsia** (See **Toxemia**)

**Ectopic (tubal) pregnancy**, 73, 249, 354

**Education**

about AIDS, 310  
about rape, 338  
family planning and, 227  
in gender roles, 182  
health care providers' responsibilities, 35  
helping women help themselves, 30, 31  
importance of, 58  
for women with disabilities, 140

**Efavirenz**, 518, 519

**Eggs**

causes of infertility, 231  
release of (ovulation), 47, 49

**Elders** (See **Older men; Older women**)

**Embroidery, health risks from**, 406

**Emergency food distribution**, 449

**Emergency methods of family planning**, 226, 522–523  
(Also see **Abortion**)

**Emotions** (See **Feelings**)

**Endometrial cancer**, 381

**Enema, giving rectal fluids**, 541

**Engorged breasts (mastitis)**, 116–117, 382

**Epilepsy, the pill and**, 209

**Epinephrine**, 500

for allergic reactions, 483, 545

**Erection, older men's difficulties**, 128

**Ergometrine maleate**, 500

for abortion, 471  
for bleeding after abortion, 253  
for bleeding after birth, 93, 97, 103  
hurrying birth, 471  
overview, 483

**Ergonovine** (See **Ergometrine**)

overview, 483  
pregnancy and, 438  
preventing misuse, 445  
quitting, 440–441  
reasons for use and misuse, 436–437

**Ergonovine** (*continued*)

sex and, 62  
sex workers and, 344  
sniffing glues and solvents, 438

**Erythromycin**, 501

for baby eye care, 78, 83  
for breast infection, 117  
for burns, 534  
for chlamydia, 268  
for deinfibulation, 465  
for genital sores, 271  
for infection after female genital cutting, 462  
overview, 480  
for syphilis, 278  
for wounds and sores, 307

**Estrogen**, 501

hormone replacement therapy, 124  
life cycle and, 47  
(Also see **Hormonal methods of family planning; Hormones**)

**Ethambutol**, 501

**Exams and tests**

abdomen exam, 534  
blood pressure, 532–533  
breast exams, 162  
for cancer of the cervix, 378  
for fertility, 234  
health exams, 159  
HIV test, 288, 289, 291, 292, 347  
overview, 37  
Pap tests, 159, 267, 376  
pelvic exam, 159, 535–538  
prenatal check-ups, 68, 76–77, 160  
pulse, taking, 531  
respiration (breathing rate), 531  
screening tests, 376, 379  
by sex workers, 346  
speculum exam, 536  
temperature, taking, 530  
tuberculosis (TB) test, 389  
violence against women and, 325  
(Also see **Solving health problems**)

**Excision** (See **Female genital cutting**)

**Exercise**

during menopause, 124  
during pregnancy, 68, 71, 75  
HIV/AIDS and, 291  
lifting and carrying heavy loads, 398–400  
monthly bleeding and, 55  
need for, 158  
for older women, 126  
weak bones and, 133  
for women with disabilities, 143

**Exercises**

angry cat exercise, 71  
for baby in wrong position, 75  
building inner strength, 423  
for healing mental health problems, 427–428

**Exercises** (*continued*)

for learning to help, 426  
for low-back pain, 71, 400  
pelvic tilt exercise, 400  
to relax and strengthen back and belly, 400  
for relaxation, 427  
for sitting or standing long time, 404  
squeezing exercise, 130, 131, 371  
twist exercise, 400  
for women with disabilities, 143  
for women with trauma, 430  
(Also see **Activities**)

**Expiration date of medicines**, 472

**Eyes**

blurry eyesight, 174  
care at birth, 83  
chemicals and problems with, 402  
chemicals in, 403  
farsighted, 134  
glaucoma, 134  
infected in newborn, 276  
pale eyelids, 172  
problems in older women, 134  
strain from crafts, 406  
yellow, 277

**F****Face**

changes during puberty, 54  
swollen during labor, 74, 87

**Factories**

migration for work, 408  
unsafe work conditions, 406–407  
(Also see **Chemicals; Work**)

**Fainting**

after abortion, 258  
anemia and, 172  
during pregnancy, 73  
shock and, 254  
(Also see **Unconsciousness**)

**Fallen womb (prolapsed uterus)**, 131, 161, 398, 534

**Fallopian tubes**

exam, 538  
illustrated, 45  
overview, 45  
pelvic inflammatory disease (PID), 265, 274–275  
scarred or blocked, 231  
tubal ligation, 223  
tubal pregnancy, 73, 249, 354

**Family**

feeding before self, 171  
help during illness, 37  
incest, 63, 329  
mothers helping daughters, 65  
sexual abuse in, 329, 331  
talking with, 65  
values learned from, 56

**Family (continued)**

women's health issues, 12  
(Also see **Fathers; Mothers; Parents; Violence against women**)

**Family planning, 196–227**

abortion, 238–259  
after abortion, 250  
after death of baby, 99  
avoiding pregnancy, 60, 61, 128  
barrier methods, 200, 202–206  
benefits of, 197–198  
breastfeeding as prevention, 96, 201, 218  
child-spacing, 110, 160  
choosing a method, 200–201, 224–225  
choosing to use, 199  
effectiveness of methods, 201  
emergency methods, 226, 522–523  
for fathers, 100  
hormonal methods, 128, 145, 200, 207–215  
hormones and, 47  
infertility and, 231  
IUDs, 145, 200, 216–217  
natural methods, 200, 218–222  
new methods, 224  
for new mother, 96  
number of children, 179  
older women and, 128  
permanent methods, 200, 223  
refugees and displaced women, 452  
safety of, 198  
talking to husband or partner about, 199  
traditional methods, 222  
types of methods, 200  
for women with disabilities, 145  
working for change, 227  
(Also see **Abortion; Pregnancy; Safer sex; Sex; specific methods**)

**Farms (See Chemicals; Work)****Farsightedness, in older women, 134****Fathers**

during pregnancy and childbirth, 100  
girls treated as property of, 185  
infertility, causes of, 230  
sexual abuse by, 329, 331  
(Also see **Family; Husband or partner; Parents**)

**Fats**

cutting down on, 174  
need for, 166  
(Also see **Diet**)

**Feelings**

about HIV/AIDS, 289, 290, 294, 296, 309, 311  
about infertility, 236–237

**Feelings (continued)**

about rape, 337  
about violence against women, 313, 315, 321, 323  
after miscarriage, 98  
anxiety, 135, 296, 420  
death of baby and, 99  
depression, 296, 419  
during menopause, 124, 125  
during puberty, 54  
emotional abuse, 317  
gender roles and, 183  
loss, 417  
medicines for, 471  
migrating for work, 408  
in older women, 135  
sexual desire, 185–186  
sexual pleasure, 186–188  
stress, 318, 416–417, 421  
talking with parents, 65  
trauma, 418, 420–421, 430  
(Also see **Communication; Mental health**)

**Feet**

acupressure massage, 546–547  
swollen during pregnancy, 71

**Female condoms**

effectiveness of, 201  
overview, 204  
safer sex and, 190, 193  
sex workers and, 346  
STI prevention, 279  
using, 204

**Female genital cutting, 458–467**

bleeding, heavy, 461  
childbirth problems, 464–465  
danger signs, 460  
deinfibulation, 465  
health problems from, 3, 460–467  
infection, 461–462  
infertility, 465  
infibulation, 72, 459, 464, 465  
leaking urine and stool, 465  
mental health problems, 466  
monthly bleeding problems, 463  
overview, 458–459  
prevalence of, 3  
sexual health problems, 463–464  
shock, 461  
types of, 459  
urine system problems, 365, 462, 465  
working for change, 466–467

**Fertility**

hormones and, 47  
how to tell if fertile, 220, 233  
(Also see **Infertility**)

**Fertilization, 49****Fertilizers**

natural, 177, 178  
in water source, 127, 401

**Fetoscope, 77****Fever**

after abortion, 255–258  
after birth, 97  
after miscarriage, 98  
chancroid and, 271  
during labor, 86  
during pregnancy, 74  
hepatitis B and, 277  
with IUD, 217  
kidney infection and, 367  
in newborn, 95  
pain in abdomen with, 355  
in persons with AIDS, 297  
PID and, 274  
pneumonia and, 304  
syphilis and, 270–271  
taking the temperature, 530  
womb infection and, 97

**Fever blisters, in persons with AIDS, 305****Fibroids, 380**

heavy monthly bleeding and, 129  
infertility and, 231  
pain with, 354  
and passing urine often, 370  
signs, 380  
treatment, 380

**Fire safety, 394****Fistula, vesico-vaginal (VVF), 161, 370–371, 465****Fits (See Seizures)****Flagyl (See Metronidazole)****Flat nipples, 114****Flight (See Refugees and displaced women)****Flukes, blood, 369****Foam birth control, women with disabilities and, 145****Foam, contraceptive (See Spermicides)****Folic acid (folate)**

food sources of, 168  
for weak blood (anemia), 73, 168, 471

**Follow-up care, 35****Food cooperatives, 177****Food (See Diet)****Forced sex (See Rape)**



**Forgetting to take the pill**, 211, 212

**Forgotten workers**, 409

**Formula, harmfulness of**, 106

**Fractions in medicine dosages**, 474

**Fruits**, 166, 170

**Fuels**

fire safety, 394

for refugees and displaced women, 450

(Also see **Drugs**)

**Fungal infections**

in persons with AIDS, 300

(Also see **Yeast infections**)

**Future, planning for**, 57

## G

**Gallstones, overweight and**, 174

**Gang rape**, 329

**Garbage, disposing safely**, 151

**Gardens, improving nutrition**, 176–179

**Gender roles**, 182–185, 194–195

changing harmful roles, 194–195

in courtship, 195

creation of, 182

defined, 182

harm caused by, 183

harmful beliefs, 184–185

learning of, 182

in the media, 195

sexual health and, 184–185

(Also see **Sexual health**)

**Generic names for medicines**, 473

**Genital herpes**, 272–273

**Genitals** (See **Reproductive system**; **STIs**)

**Genital ulcers**, 270–273

**Genital warts**, 269

**Gentamicin**, 502

for infection after abortion, 257

for infection after birth, 97

for kidney infection, 368

overview, 481

**Gentian Violet**, 502

for fungal infections, 300

for thrush (yeast), 305

for thrush (yeast) in babies, 117

for wounds and sores, 307

**German measles, pregnancy and**, 68

**Germs**

food safety, 156–157

spread of, 150–151

sunlight and, 153

**Girls**, 53–65

changes for a better life, 54

changes in the body of, 54

eating to grow well, 53

female genital cutting, 459–460, 467

gender roles, 182–185

getting help from adults, 65, 61, 57

monthly bleeding, 55

pregnancy, 59, 64, 72

pressure to have sex, 62–64

self-esteem, 56

sex, 59–61

sex work, 342–343

sexual abuse of, 63

trading of, 64

(Also see **Puberty**)

**Giving birth** (See **Childbirth**)

**Glands, of breasts**, 45

**Glaucoma, in older women**, 134

**Gloves, disinfected**, 525

**Glue sniffing** (See **Drugs**)

**Goals, choosing**, 57

**Goiter**, 169

**Gonorrhea**

in babies, 276

resistance to medicines, 24, 264

signs, 267

treatment, 268

**Gono** (See **Gonorrhea**)

**Government policies and laws**

aiding older women, 137

female genital cutting, 467

legal rights of women, 7

low status of women, 7–8, 11

reporting rape, 334–336

violence against women and, 324

women's health issues, 17

(Also see **Refugees and displaced women**; **Working for change**)

**Grains**, 166, 170

**Grams**, 475

**Green Belt movement**, 16

**Green waters during labor**, 86

**Growth**

diet and, 53

during puberty, 54

**Growths**

of the cervix, 377

of the womb, 380

cysts on ovaries, 383

fibroids, 129, 231, 354, 380

and passing urine often, 370

polyps, 129, 377, 380

tumors, 375

**Growths** (*continued*)

warts on genitals, 269, 376

(Also see **Cancer**; **Lumps**)

**Gums, problems from chemicals**, 402

## H

**Hands**

acupressure massage, 546

pale nails, 172

swollen during labor, 74, 87

washer-woman's hands, 409

washing to prevent infection, 526

**Harassment**

sexual, 329, 331, 407

(Also see **Violence against women**)

**Haybox cooker**, 397

**Head**

birth of, 82

breech baby, 75, 77, 90–91

exercise at work, 404

**Headaches**

from chemicals, 402

from crafts, 406

high blood pressure and, 130

from hormonal methods of family planning, 208, 209, 210

from medicines, 479

from stress, 421

from the pill, 210

**Health care skills**, 525–547

abdomen exam, 534

acupressure massage, 546–547

blood pressure, 532–533

burns, 538–539

disinfecting equipment and tools, 526–529

injections, 542–545

pelvic exam, 535–537

pulse, taking, 531

respiration (breathing rate), 531

shock, treating with fluids, 540–541

temperature, taking, 530

**Health center or hospital**

breastfeeding and, 119, 121

for cancer of the cervix, 377

childbirth and, 72, 85–86, 88, 89, 93, 101

female genital cutting and TBAs, 467

getting better care, 36–37

health centers, 34

hospitals, 35, 38–39

medical system, 33–35

PID and, 274

for tetanus in newborn, 95

for VVF, 371

**Health exams, 159****Health, maintaining (See Preventing illness)****Health risks**

- from alcohol and drugs, 438–439
- for bottle-fed babies, 106
- for cancer, 376
- for cancer of the cervix, 377
- for cancer of the womb, 381
- chemicals, work with, 402–403
- from crafts, 406
- cycle of poor health, 5
- diet and, 53
- domestic workers, 409
- during pregnancy, 59, 67, 72–74, 197
- female genital cutting, 3, 460–467
- from frequent pregnancies, 3, 5
- general medical problems, 4
- heavy loads, lifting and carrying, 398–400
- from hormone replacement therapy (HRT), 124
- from medicines, 471
- mental health, 4, 416–418, 433
- poverty, 6
- from rape, 336–337
- reproductive health problems, 3
- of sex workers, 344–347
- smoke and health problems, 394–397
- STIs, 3, 60, 61, 262–263
- from treatments, 24–25
- unsafe abortion, 3, 241
- washer-woman's hands, 409
- water, work with, 401
- for women, 2–5
- from work, 4, 406
- (Also see **Danger signs; Violence against women**)

**Health, “women’s” (See “Women’s” health)****Health workers**

- disinfecting equipment and tools, 526–529
- helping women help themselves, 30–31
- infertility, helping with, 237
- medicine guidelines, 470
- overview, 34
- preventing AIDS, 311
- preventing infection, 525–529
- rape and, 335
- for refugees and displaced women, 452, 453
- sex workers and, 351
- violence against women and, 325
- washing your hands, 526
- (Also see **Health care skills; Midwives**)

**Hearing**

- loss in older women, 134
- ringing in ears, 130, 479

**Heartbeat**

- fast, 172, 254, 531
- drug and alcohol withdrawal, 441
- normal, 531
- slow, 531
- stops, 173
- stress and, 421
- taking the pulse, 531

**Heartburn**

- during pregnancy, 69
- from taking medicines, 477

**Heart disease**

- overweight and, 174
- the pill and, 208
- from syphilis, 270

**Hemorrhage (See Bleeding)****Hemorrhoids (piles), during pregnancy, 70****Hepatitis**

- hepatitis B, 277, 376, 384
- injections and, 538
- the pill and, 208
- signs, 277, 402
- treatment, 277
- vaccine, 503

**Herbicides**

- mental health and, 418
- pregnancy and, 68

**Heroin (See Drugs)****Herpes**

- genital, 272–273
- zoster (shingles), 301

**High blood pressure**

- defined, 532
- in older women, 130
- overweight and, 174
- the pill and, 209
- pregnancy risks, 72
- signs, 130
- from stress, 421
- treatment, 130
- what the numbers mean, 532
- (Also see **Blood pressure**)

**High-level disinfection, 526–528****HIV/AIDS, 282–311**

- AIDS, described, 284
- ART (Antiretroviral therapy), 291, 292, 336, 517–521
- breastfeeding and, 120, 285, 293
- caring for persons with AIDS, 294–295
- causes in women, 283, 285, 286
- CD4 count, 517
- childbirth and, 285, 292, 293, 520
- common medical problems, 297–308

**HIV/AIDS (continued)**

- cotrimoxazole and, 296, 299
- coughing, 303
- counseling, 289
- death and dying, 309
- diarrhea, 298–299
- drug misuse and, 438
- feelings about, 289, 290, 294, 296, 309, 311
- fever, 297
- HIV, described, 284
- HIV test, 288–290, 292, 347
- living with, 290–291
- medicines to prevent infection, 296
- mental confusion (dementia), 308
- mouth and throat problems, 304–305
- nausea and vomiting, 302
- older men and, 64
- overview, 277, 284
- pain, 308
- partner infected with, 290
- pneumonia and, 304
- pregnancy and, 285, 292, 520
- preventing, 286–287, 295, 309–311
- preventing infections with medicines, 296
- preventing mother-to-child transmission, 292–293, 520
- protecting against, 60, 61, 128, 189–193
- rashes and itching, 300–301
- sex workers and, 344–347
- sores on genitals and, 271
- spread of, 285
- staying healthy, 296
- tuberculosis and, 291, 303, 387
- for women, 286
- working for change, 309–311
- wounds and sores, 306–307

**Holding baby during breastfeeding, 108–109****Home**

- domestic workers, 409
- drug and alcohol misuse in, 439
- migration for work, 408
- (Also see **Family; Refugees and displaced women**)

**Homosexuality, 183, 184, 187****Honey and sugar, for pressure sores, 306****Hormonal methods of family planning, 207–215**

- after abortion, 250
- choosing a method, 200–201, 224–225
- defined, 200
- effectiveness of, 201
- implants, 213
- injections, 214–215
- older women and, 128

**Hormonal methods (continued)**

- once-a-week pills, 225
- the pill, 208–212
- progestin-only pills (mini-pill), 212
- side effects, 208, 209, 212, 213
- types of methods, 207
- vaginal rings, 225
- women who should avoid these methods, 207
- women with disabilities and, 145

**Hormones**

- hormone replacement therapy (HRT), 124, 471
- life cycle and, 47
- mental health and, 418
- in monthly cycle, 48–49
- overview, 47
- puberty and, 54
- (Also see **Estrogen; Progesterone**)

**Hospital (See Health center or hospital)****HRT (hormone replacement therapy), 124, 471****Human Immunodeficiency Virus (HIV) (See HIV/AIDS)****Human rights**

- female genital cutting and, 467
- (Also see **Government policies and laws; Working for change**)

**Hunger**

- abdomen pain and, 357
- constant, 174
- loss of appetite, 173, 277
- poor nutrition for women, 2

**Husband or partner**

- girls treated as property of, 185
- HIV infected, 290
- infertility, causes of, 230
- IUD felt by, 217
- leaving an abusive partner, 322–323
- rape by, 328
- talking about family planning, 199
- talking about sex, 185, 192–193
- (Also see **Boyfriends; Family; Fathers; Parents; Violence against women**)

**Hydrocortisone, 503**

- for allergic reactions, 483, 545

**Hydroxyzine, 504****Hymen, 44****Hypertension (See High blood pressure)****Hysterectomy, 38, 379, 381****I****Ibuprofen, 504**

- for burns (pain), 539
- overview, 482
- for persons with AIDS, 308

**Illegal abortion, 242****Illness**

- food needs during, 171
- infectious diseases, 21
- non-infectious diseases, 21
- in older women, 127
- poor nutrition and, 172–175
- preventing, 148–163
- recognizing, in women with disabilities, 141
- (Also see **Danger signs; Preventing illness; Solving health problems; STDs; specific illnesses and signs**)

**Immune system, 284**

- (Also see **HIV/AIDS**)

**Immunizations**

- hepatitis B, 503
- tetanus, 161
- tuberculosis (TB), 390, 391

**Implants**

- after abortion, 250
- effectiveness of, 201
- side effects, 213
- stopping, 213
- using, 213

**Incest, 63, 329****Incomplete abortion, 245****Incomplete miscarriage, 98****Incontinence, 370****Independence, working toward, 15****Indigestion, during pregnancy, 69****Inequality of health treatment, 1****Infection**

- abnormal vaginal discharge, 265–268
- after abortion, 255–257
- after operation, 39
- Bartholin gland infection (swollen vagina), 276
- bladder or kidneys, 366–368
- breasts during breastfeeding, 116–117, 382
- burns and, 538
- caring for new mother, 96
- causes of, 525
- cracked nipple and, 115
- deinfibulation and, 465
- disinfecting equipment and tools, 526–529
- eyes in newborn, 276
- from female circumcision, 461–462
- fungal, in persons with AIDS, 300
- infectious diseases, 21
- injections and, 542
- mental health and, 418
- pain in abdomen with fever, 355
- pelvic (PID), 265, 274–275
- preventing, 525–529

**Infection (continued)**

- preventing at birth, 83
- preventing for persons with AIDS, 296
- risk during birth, 79
- signs, 255–256, 531
- urinating after sex and, 154, 279, 366
- vaginal, frequent, 174
- vitamin A and, 169
- washing your hands, 526
- of womb after childbirth, 97
- wounds and sores, with AIDS, 307
- (Also see **STIs; specific diseases**)

**Infectious diseases, 21****Infertility, 228–237**

- after female genital cutting, 465
- blame for, 229
- causes of, 230–231
- dangers that can hurt fertility, 232
- defined, 230
- living with, 236–237
- miscarriage and, 234–235
- prevalence of, 229
- in sex workers, 344
- STIs and, 276
- treatment, 233–234

**Infibulation (See Female genital cutting)****Injections**

- allergic shock from, 545
- in buttock, 544
- diazepam, 87
- for family planning, 201, 214–215
- giving, 542–545
- HIV/AIDS and, 285
- preparing a syringe, 543
- for infection after abortion, 257
- to start labor, 85
- weak blood (anemia) and, 471
- (Also see **Medicines**)

**Injections for family planning**

- combined, 214–215
- effectiveness of, 201
- progestin-only, 214
- side effects, 214, 215
- stopping, 215
- using, 215

**Injuries**

- internal, from abortion, 258
- mental health and, 418
- from pregnancy and childbirth, 101–103
- from rape, 337
- (Also see **Female genital cutting; Violence against women**)

Inner folds of the vulva, 44  
 Insect bites, HIV/AIDS and, 285  
 Inserts, 474 (Also see **Medicines**)  
 Intercourse (See **Sex**)  
 Internal injury, from abortion, 258  
 Intra uterine devices (See **IUDs**)  
 Intravenous drip (**IV**), 540  
 Inverted nipples, 114

**Iodine**

importance of, 169  
 iodized salt, 68, 169  
 sources of, 169

**Iron**, 167

food sources of, 167  
 other sources of, 167  
 for weak blood (anemia), 53, 73,  
 129, 167

**Irrigation**, 177**Isolation, as abuse**, 317**Isoniazid**, 505**Itching**

genital growths (warts), 269  
 genitals, 265, 266, 267, 272  
 in persons with AIDS, 300–301  
 sugar sickness (diabetes) and, 174  
 vagina, 265

**IUCD** (See **IUDs**)**IUDs**, 216–217

after abortion, 250  
 choosing a method for family  
 planning, 200–201, 224–225  
 danger signs, 217  
 defined, 200  
 effectiveness of, 201  
 as emergency method of family  
 planning, 226  
 infertility and, 231  
 overview, 216  
 pain with, 217, 354  
 progestin, 216  
 progestin IUDs, 216  
 side effects, 216  
 STIs and, 216  
 stopping, 217  
 using, 217  
 who should not use, 216  
 women with disabilities and, 145

**IV (intravenous drip)**, 540**J****Jaundice, yellow baby**, 118**Jelly, contraceptive** (See **Spermicides**)**Jobs** (See **Work; Working mothers**)**Joint and muscle pain (arthritis)**

in older women, 133  
 overweight and, 174

**Joints**

contractures, 143  
 kneeling work and, 405  
 repetitious movements and, 405

**Juvenile diabetes** (See **Sugar sickness**)**K****Kaposi's sarcoma**, 301**Kerosene, fire safety**, 394**Ketoconazole**, 505

for fungal infections, 300  
 for thrush, 305

**Khat** (See **Drugs**)**Kidney infection**, 366–368

causes, 366  
 drugs and alcohol and, 438  
 medicines, cautions about, 477  
 signs, 367  
 treatment, 368  
 (Also see **Urine system problems**)

**Kidney stones**, 369**Killing oneself (suicide)**, 419, 431**Kissing, not a cause of HIV**, 285**Kneeling work**, 405**Knitting, health risks from**, 406**L****Laboratories**, 34**Labor** (See **Childbirth**)**Lace making, health risks from**, 406**Lactational amenorrhea method (LAM)**, 218**Lamivudine**, 518, 519, 520**Latrines**

building, 152  
 for refugees and displaced women,  
 451

**Laws** (See **Government policies and laws; Working for change**)**Laxatives**, 70**Leaders, women as**, 456–457**Lead poisoning**, 403, 406**Legal issues** (See **Government policies and laws; Working for change**)**Legs**

acupressure massage, 546–547  
 problems during pregnancy, 71  
 severe pain in one, 210

**Legs (continued)**

sitting or standing long time, 404  
 varicose veins in, 70, 132  
 weakness in, 173, 210

**Legumes, planting**, 176**Lemon juice**

purifying water, 155  
 for thrush, 305

**Lice**, 265**Life cycle of women**, 47**Lifting safety**, 398**Lip, cleft in baby**, 118**Liquid medicines**

measuring, 475  
 taking, 474  
 (Also see **Medicines**)

**Liquids**

clean source of water, 151  
 giving rectal fluids, 541  
 recommendation for older women,  
 126  
 rehydration drink, 540  
 (Also see **Alcohol; Caffeine; Water**)

**Listening**

active, 426  
 importance of, 30

**Liver**

cancer, 384  
 medicines and liver disease, 477  
 problems from chemicals, 402  
 problems from drugs and alcohol,  
 438

**Liver extract injections**, 471**Loop, the** (See **IUDs**)**Loss**

mental health and, 417, 454  
 by refugees and displaced women,  
 454

**Love**

changing people, 318  
 violence against women and, 315

**Low back pain** (See **Back pain**)**Lower belly pain** (See **Abdomen pain**)**Lubricants, for condoms**, 203**Lumps**

abscesses and boils, 307  
 in breast, 382  
 in breast during breastfeeding, 116  
 breast exams, 162  
 in breast of older women, 129  
 in tubes or ovaries, 537  
 (Also see **Growths**)

**Lungs**

- cancer, 384
- chemicals and, 402
- pottery making and health, 406

**M****Macrolides, 480****Magnesium sulfate, 506**

- for toxemia, 87

**Malaria**

- during pregnancy, 74
- spread of, 151
- using medicines for abortion, 471

**Manual vacuum aspiration (MVA)**

- abortion, 38, 244, 248

**Marijuana (See Drugs)****Marriage**

- virginity and, 185
- waiting until ready, 58

**Massage, acupressure, 546–547****Mastitis, 116–117, 382****Masturbation, 188****Maternal mortality, 67****Measles, pregnancy and, 68****Measuring medicines, 474–475****Media, gender messages in, 195****Medical system, 33–41**

- community health workers, 34
- getting better care, 36–37
- health centers, 34
- health posts, 34
- hospital care, 38–39
- hospitals, 35
- women's needs not met, 8
- working for change, 40–41
- (Also see **Health center or hospital; Health workers**)

**Medicines, 468–484**

- abortion by, 244–245
- for allergic reactions, 483
- allergy to, 477
- antibiotics, 480–481
- for bacterial vaginosis, 266
- for bladder infection, 368
- for bleeding from vagina, 483
- for breast infection, 117
- cancer and, 376
- for chlamydia, 268
- combination medicines, 472
- deciding to use, 470–471
- defined, 469
- for deinfibulation, 465
- drug and alcohol use and, 438

**Medicines (continued)**

- drug resistance and STI medicines, 264
- during breastfeeding, 109, 120
- during labor, 79, 85
- during pregnancy, 68
- fertility and, 232
- food and, 478
- forms of, 474
- generic names and brand names, 473
- for genital sores, 271
- for genital warts, 269
- for gonorrhea, 268
- guidelines for health workers, 470
- guidelines for use, 472
- harmful uses, 471
- for herpes zoster (shingles), 301
- for infection after abortion, 256–257
- inserts in vagina, 474
- for itching in persons with AIDS, 301
- for joint and muscle pain (arthritis), 133
- for kidney infection, 368
- measuring amount to take, 474–475
- medicine kit, 484
- for menopause problems, 125
- mental health and, 418
- for mental health problems, 422
- old (past expiration date), 472
- overview, 469
- for pain, 482
- for pain, in persons with AIDS, 308
- for pelvic inflammatory disease (PID), 274
- for persons with AIDS, preventing infection, 296
- the pill and, 209
- plant medicines and vagina, 96
- precautions (warnings), 478
- safety when using, 470, 471–473
- side effects, 478
- for STIs, sex workers and, 347
- taking too much, 479
- for thrush (yeast), 117, 300, 305
- for toxemia, 87
- toxicity and dementia, 135
- for trichomonas, 268
- using medicines in this book, 473–479
- when to take, 476
- who should not take certain medicines, 477
- for womb infection, 97
- for yeast infections of the vagina, 265–266
- (Also see **Side effects, specific medicines**)

**Meditation, 423****Medroxyprogesterone acetate, 129, 506****Memory problems, in older women, 135****Menopause**

- acupressure massage for, 547
- bleeding from vagina after, 363
- defined, 47
- diet during, 124, 171
- hormone replacement therapy (HRT), 124, 471
- medicines for, 124
- recommendations for easing, 124–125
- sexual relations and, 128
- signs, 124

**Menstrual cycle, 48–49****Menstruation (See Monthly bleeding)****Mental confusion (dementia)**

- drug and alcohol withdrawal, 441
- in older women, 135
- in persons with AIDS, 308

**Mental health, 412–433**

- AIDS and, 296
- alcohol and, 438
- anxiety, 420
- common causes of problems, 416–418
- common problems, 419–422
- of community, 433
- depression, 135, 419
- determining, 419
- drugs and, 438
- female genital cutting problems, 466
- helping yourself and others, 422–431
- medicines for problems, 422
- mental illness (psychosis), 432
- overview, 413
- personal coping skills, 422–423
- psychosis (mental illness), 432
- of refugees and displaced women, 454–455
- self-esteem, 140–141, 414–415
- stress, 318, 416–417, 421
- suicide, 419, 431
- support groups, 423–425
- syphilis and, 270
- trauma, 418, 420–421, 430
- women at risk, 4, 433
- for women with disabilities, 140–141
- (Also see **Feelings; Support groups**)

**Mental illness (psychosis), 432****Mental slowness in children, 68, 169****Methotrexate, 245, 471**

**Methyl ergonovine**, 506

**Metronidazole**, 507

- for bacterial vaginosis, 266
- for bloody diarrhea, 296
- for discharge, 268
- for pelvic inflammatory disease (PID), 275
- for infection after abortion, 256–257
- for trichomonas, 268
- for womb infection, 97

**Miconazole**, 507

- for yeast infections, 266

**Micrograms**, 475

**Midwives**

- A Book for, 66
- role of, 76, 102, 391

**Mifepristone**, 225, 245, 508

**Migration for work**, 408

**Milk and milk products**

- bottle-feeding babies, harmfulness of, 106
- in diet, 170
- storing, 170
- (Also see **Breastfeeding: Breast milk**)

**Milligrams**, 475

**Minerals** (See **Vitamins and minerals**)

**Mini-pills** (See **Progestin-only pills**)

**Miscarriage**, 98, 234–235, 354

- bleeding after, 98, 235, 363

**Misoprostol**, 93, 245, 253, 508

**Money**

- control of, 317
- costs of bottle-feeding, 106
- costs of vitamins and minerals, 471
- loan fund for sex workers, 350

**Mons**, 44

**Monthly bleeding**, 48–51

- acupressure massage for pain, 546–547
- after abortion, 249
- changes in bleeding, 50
- diet and, 53
- end of (menopause), 124–125
- female genital cutting problems, 463
- heavy, 129, 360
- hormonal method of family planning and, 207, 208, 209, 214
- irregular, 361
- late with IUD, 217
- light, 360
- long lasting, 360

**Montly bleeding** (*continued*)

- in middle of month, 129
- monthly cycle, 48–49
- names for, 48
- onset during puberty, 55
- pain with, 50, 354
- pre-menstrual syndrome (PMS), 51
- problems with, 360–361
- self care during, 55
- stopped, 361
- too far apart, 361
- too often, 361
- for women with disabilities, 142
- (Also see **Bleeding from vagina**)

**Monthly cycle**, 48–49

**Morning sickness**, 69, 543

**Morphine, overview**, 482

**Mosquitos, disease spread by**, 151

**Mothers**

- breastfeeding advice, 109–110, 293
- care after childbirth, 95, 96
- community expectations, 183
- danger signs after childbirth, 97
- death of baby and, 99
- diet while breastfeeding, 109
- help from fathers, 100
- helping after childbirth, 99
- helping daughters, 65
- helping during childbirth, 79, 81–84
- infertility, causes of, 231
- older mothers, 72
- working, breastfeeding and, 111
- (Also see **Family; Parents**)

**Mouth**

- cancer, 384
- cleft lip or palate in baby, 118
- gum problems from chemicals, 402
- problems in persons with AIDS, 304–305
- teeth, 154, 402

**Mucus**

- checking for fertility, 220, 233
- coughing up, in persons with AIDS, 303–304

**Mucus method of family planning**, 219–220

- after abortion, 250

**Mumps, infertility and**, 230

**Musasa Project**, 15

**Muscles**

- arthritis in older women, 133
- back and belly, strengthening, 400
- contractures, 143
- (Also see **Exercise; Exercises**)

**MVA (manual vacuum aspiration)**

- abortion, 38, 244, 248

**Nails**

- pale, 172
- washer-woman's hands, 409

**Natural methods of family planning**, 218–222

- after abortion, 250
- breastfeeding, 96, 201, 218
- choosing a method, 200–201, 224–225
- defined, 200
- effectiveness of, 201, 219
- how to tell if fertile, 220
- mucus method, 219–220
- overview, 219
- rhythm method, 219, 221
- STIs and, 218

**Nausea**

- after abortion, 258
- during pregnancy, 69, 543
- from hormonal methods of family planning, 208, 209
- kidney infection and, 367
- from medicines, 479
- in persons with AIDS, 302, 518
- taking medicines, 478
- (Also see **Vomiting**)

**Neck, acupressure massage**, 547

**Needles**

- disinfecting, 528
- giving injections, 542–545
- (Also see **Injections**)

**Negative HIV test**, 288, 289

**Neonatal conjunctivitis**, 274

**Nervous conditions** (See **Mental health**)

**Nevirapine**, 518, 519, 520

**Night blindness, vitamin A for**, 169

**Nipples**, 114–115

- discharge from, 382
- flat or inverted, 114
- illustrated, 45
- overview, 45
- position in baby's mouth, 108, 109, 115
- sore or cracked, 115–117
- (Also see **Breasts**)

**Nitrofurantoin**, 509

- for bladder infection, 368

**Non-infectious diseases**, 21

**Norfloxacillin**, 509

- for diarrhea for people with AIDS, 299
- overview, 481

**Noristerat**, 214, 215

**Nuclear power plants**, 376

**Numbness, from the pill**, 210

**Nutrition** (See **Diet**)

## N

**Nabothian cysts**, 377

**Nystatin**, 510

- for fungal infections, 300
- for thrush, 305
- for yeast infections, 266

**O****Ointments**, 474 (Also see **Medicines**)**Older men**

- erection difficulties in, 128
- sex with, 63, 64

**Older women**, 122–137

- anxiety, 135
  - back pain, 132
  - breast lumps, 129
  - common health problems, 123, 129–135
  - community services for, 137
  - death, accepting, 137
  - depression, 135
  - fallen womb (prolapsed uterus), 131, 398
  - government policies and laws, 137
  - health care recommendations, 126–127
  - hearing loss, 134
  - high blood pressure, 130
  - joint and muscle pain (arthritis), 133
  - medicine doses, 478
  - mental confusion (dementia), 135
  - monthly bleeding ends (menopause), 124–125
  - monthly bleeding heavy, 129
  - risks from pregnancy, 72
  - seeing problems, 134
  - sexual relations, 128
  - teaching others, 137
  - varicose veins, 132
  - weak blood (anemia), 129
  - working for change, 136–137
- (Also see **Menopause**)

**Once-a-week pills**, 225**Open lip or palate, in baby**, 118**Operations**

- after an operation, 39
  - for cancer, 379, 381, 383, 384
  - common for women, 38
  - for fibroids, 380
  - hysterectomy, 38, 379, 381
  - for no more children, 223
- (Also see **Abortion**; **Sterilization**)

**Opium** (See **Drugs**)**Oral sex**, 187, 189–190, 279, 524**Organizing** (See **Unions**; **Working for change**)**Orgasm**, 44, 187**Osteoporosis** (See **Weak bones**)**Outer folds of the vulva**, 44

- (Also see **Female genital cutting**)

**Ovaries**

- cancer, 383
- cysts, 383
- exam, 534
- illustrated, 45
- monthly cycle and, 48–49
- overview, 45

**Overweight people, health problems of**, 174**Ovulation**, 47, 49, 231**Oxytocin**, 510

- abortion from, 241
- for bleeding after birth, 92, 103
- hurrying birth, 471
- overview, 483

**P****Packaged foods**, 170**Pads, menstrual**, 55**Pain**

- acupressure massage for, 546–547
- after miscarriage, 98
- in back during pregnancy, 71
- in back in older women, 131, 132
- in breasts during breastfeeding, 116–117
- in chest, 210
- from contractures, 143
- during sex, 193, 274, 355, 380
- in joints and muscles (arthritis), 133, 174
- in joints from work, 405
- in lower belly, 352–357
  - after abortion, 255, 256, 258, 355
  - after childbirth, 355
  - after passing urine, 367
  - with bleeding from vagina, 355, 359
- brief, during middle of monthly cycle, 356
- during monthly bleeding, 50, 354
- during pelvic exam, 537
- during pregnancy, 73, 355
- during sex, 193, 274, 355, 356
- with fever, 355
- fibroids, 129, 231, 354
- hunger and, 357
- with IUD, 217, 354, 356
- kinds of pain, 354–356
- miscarriage, 98, 234–235, 354, 355
- monthly bleeding late, 354
- overview, 352, 353
- pelvic inflammatory disease (PID), 274
- questions about, 357
- severe, 354, 355, 357
- STIs, 263, 267

**Pain** (*continued*)

- in lower belly (*continued*)
    - sudden and severe, 354
    - tubal pregnancy, 73, 249, 354
    - with urine system problems, 355
  - when moving, walking, or lifting, 356
  - without other signs, 356
  - womb infection, 97
  - medicines for, 482
  - miscarriage and, 235
  - in nipples during breastfeeding, 115–117
  - in persons with AIDS, 308
  - pressure point for easing, 50, 546
  - in shoulders after abortion, 258
  - in stomach from medicines, 479
  - sudden, near kidneys or bladder, 369
  - from the pill, 210
  - with vaginal discharge, 265, 274
  - when passing urine, 267, 367
- (Also see **Back pain**)

**Pains, labor** (See **Contractions**)**Palate, cleft in baby**, 118**Papaya, for pressure sores**, 306**Pap tests**, 159, 376, 378**Paracetamol**, 511

- for burns (pain), 538, 539
- overview, 482
- for persons with AIDS, 308

**Paralysis**

- the pill and, 208
- from syphilis, 270

**Parents**

- early pregnancy, 58, 72
  - sexuality and, 58
  - talking with, 65
- (Also see **Family**; **Fathers**; **Mothers**; **Violence against women**)

**Partner** (See **Husband or partner**)**Patch, family planning**, 224**Passing stools** (See **Stools**)**Pelvic area**, 43**Pelvic exam**, 159

- how to, 535–538

**Pelvic infection**, 217, 265, 274**Pelvic inflammatory disease (PID)**, 217, 265, 274**Pelvic tilt exercise**, 400**Pelvis**, 43**Penicillin**, 511

- for burns, 538
- family of antibiotics, 480
- for wounds and sores, 307

**Penis**

illustrated, 46  
warts on, 269

**Pensions, 137****Period (See Monthly bleeding)****Permanent methods of family**

**planning, 230**  
after abortion, 250  
choosing a method, 200–201,  
224–225  
defined, 200  
effectiveness of, 201

**Personal coping skills, 422–423****Pessaries, vaginal, 131****Pesticides**

mental health and, 418  
pregnancy and, 68

**PID (pelvic inflammatory disease),**

217, 265, 274

**Piles (hemorrhoids), during pregnancy, 70****Pills (See Drugs; Medicines)****Pill, the, 208–212**

after abortion, 250  
combined pills, 208–211, 521–522  
danger signs, 210  
effectiveness of, 201  
emergency methods of family  
planning, 226, 522–523  
forgetting to take, 211  
once-a-week pills, 225  
overview, 208  
progesterin-only pills (mini pill), 212  
side effects, 208, 209  
stopping, 211  
using, 210–211  
who should not take, 208–209

**Pitocin, hurrying birth, 471****Placenta, 84**

bleeding after it comes out, 93  
bleeding before it comes out, 92  
checking, 84  
coming out, 84  
difficulty delivering, 92

**Plant medicines**

for bladder infection, 367  
vagina and, 22, 96  
(Also see **Medicines**)

**Pleasure from sex, 186–188**

sterilization and, 223

**PMS (See Pre-menstrual syndrome)****Pneumonia**

in newborn babies, 274  
in persons with AIDS, 304

**Podophyllin, 512**

for genital warts, 269

**Poisoning, from medicines, 479****Police, reporting rape to, 334–336****Policies (See Government policies and laws; Working for change)****Polyps**

of cervix, 377  
heavy monthly bleeding and, 129  
signs, 380  
treatment, 380  
of womb, 380  
(Also see **Growths**)

**Polyvidone iodine, 169****Positive HIV test, 288–290, 517**  
(Also see **HIV/AIDS**)**Potassium, in rehydration drink, 540****Potassium permanganate, for wounds and sores, 307****Pottery, health risks from, 406****Pottery cooler, 157****Poverty**

debt and structural adjustment, 8  
diet and, 165, 170  
health risks for women, 6, 11  
violence against women and, 315

**Power, lack of, 7****Prayer, 423****Pregnancy, 66–103**

abortion, 238–259  
acupressure massage for, 546–547  
avoiding, 60, 61, 128  
baby in wrong position, 72, 75, 85,  
90–91  
bleeding from vagina during, 73, 74,  
362  
breastfeeding as prevention, 96, 201,  
218  
breastfeeding during, 119  
calcium needs, 168  
checking baby's position, 77, 81  
chemicals and, 402  
child-spacing, 110, 160  
common problems, 69–71  
danger signs, 72–73  
death from, 101–103  
DES (diethylstilbestrol) caution, 471  
diet during, 68, 167–169, 171  
due date, 67  
early, 58, 59, 72  
emergency methods of family  
planning, 226, 522–523

**Pregnancy (continued)**

fathers, advice for, 100  
frequent pregnancies, 3  
further information, 66  
health care during, 68, 160–161  
health risks, 3, 5, 59, 67, 72–74, 197  
herpes and, 272  
HIV/AIDS and, 285, 292, 520  
infertility, 228–237  
losing (miscarriage), 98, 234–235  
medicines, caution about using, 477  
prenatal check-ups, 68, 76–77, 160  
preparing for labor and birth, 78–79  
rape and, 336  
refugees and displaced women, 452  
sex workers and, 345  
signs, 67  
signs after abortion, 249  
syphilis and, 270  
tetanus vaccinations, 161  
in the tube, 73, 249, 354, 538  
tuberculosis (TB) and, 389, 390  
unwanted, 64  
violence against women and, 319  
womb size during, 537  
women with disabilities and, 72, 145  
working for change, 101–103  
(Also see **Abortion; Childbirth; Family planning**)

**Premature birth, 75, 94**

early pregnancy and, 72

**Pre-menstrual syndrome (PMS), 51**

acupressure massage for, 546–547  
remedies and suggestions, 51  
symptoms, 51

**Prenatal check-ups, 76–77**

checking baby's position, 77  
need for, 68, 76, 160  
refugees and displaced women, 452  
schedule for, 76  
what to expect, 75

**Pressured sex (See Rape)****Pressure sores**

cause of, 142  
prevention, 142  
treatment, 306

**Preventing illness, 148–163**

allergic shock from injections, 545  
breast exams, 162  
chemical-related health problems,  
403  
clean water and, 151, 155, 401  
community cleanliness (sanitation),  
151–152  
during pregnancy and childbirth,  
160–161



**Preventing illness (continued)**

exercise and, 158  
 food safety, 156–157  
 germs, spread of, 150–151  
 health exams, 159  
 HIV/AIDS, 286–287, 295, 309–311  
 home cleanliness, 153–157  
 importance of, 149  
 infection, preventing, 525–529  
 lead poisoning, 403  
 nutrition and, 172–175  
 personal cleanliness, 154  
 rest and, 158  
 safe sex, 60, 61, 128, 160  
 in sex workers, 346  
 smoke, health problems from, 394–395  
 special needs of women, 158–162  
 STIs, 279  
 tetanus vaccinations, 161  
 tooth care, 154  
 tuberculosis (TB), 391  
 working for change, 163  
 (Also see **Cleanliness; Diet; Exercise; Exercises; Safety; “Women’s” health; Working for change**)

**Prison rape, 329****Privacy, 30, 35****Probenecid, 512****Procaine penicillin, 513**

overview, 480  
 for fever during pregnancy, 86

**Progesterone, 513**

hormone replacement therapy (HRT), 124  
 life cycle and, 47  
 (Also see **Hormonal methods of family planning; Hormones**)

**Progestin IUDs, 216****Progestin-only injections, 214–215****Progestin-only pills, 522**

effectiveness of, 201  
 as emergency method of family planning, 225  
 forgetting to take, 212  
 side effects, 212  
 stopping, 212  
 using, 212

**Prolapsed uterus (fallen womb), 131, 161, 398****Promethazine, 513**

for allergic shock, 483, 545  
 for vomiting for people with AIDS, 302

**Prostitutes (See Sex workers)****Protein**

after quitting alcohol, 441

**Protein (continued)**

cheap sources, 170  
 need for, 166  
 (Also see **Diet**)

**Psychological problems (See Mental health)****Psychosis (mental illness), 432**

(Also see **Mental health**)

**Puberty, 52–65**

body changes during, 54–55  
 boyfriends and sex during, 59–61  
 for boys, 46  
 help from adults, 65  
 life changes during, 56–58  
 monthly bleeding onset, 55  
 need for knowledge about, 53  
 planning for the future, 57–58  
 shame and, 184

**Pulse (heartbeat)**

taking, 531

(Also see **Heartbeat**)

**Pulses, planting, 176****Purifying water, 155****Pyrazinamide, 514****Pyridoxine (vitamin B6)**

for TB during pregnancy, 389

**Q****Quinolones, 481****R****Rape, 326–339**

avoiding, 330–331  
 blaming women for, 327  
 date rape, 62, 328  
 defined, 327  
 feelings about, 337  
 health problems, 336–337  
 HIV and, 336, 521  
 if someone you know has been raped, 334  
 if you have been raped, 334–337  
 incest, 63, 329  
 kinds of, 328–329  
 lack of desire and, 193  
 mental health and, 418  
 pregnancy and, 336  
 refugees and displaced women, 450–451  
 reporting to police, 334–336  
 resisting sexual assault, 333  
 self defense for women, 332  
 sexual relations after, 337  
 by someone the woman knows, 328–329  
 STIs and, 336

**Rape (continued)**

by strangers, 329  
 talking about, 337, 339  
 tears and cuts from, 337  
 trading girls for money, 64  
 women at risk, 327  
 working for change, 338–339  
 (Also see **Violence against women**)

**Rashes**

from cotrimoxazole, 296  
 in persons with AIDS, 300–301  
 syphilis and, 270

**Rectal exam, 159****Rectal fluids, giving, 541****Rectum, taking the temperature, 530****Refugees and displaced women, 446–457**

basic needs, 448–451  
 defined, 447  
 earning a living, 457  
 flight and arrival, 448  
 mental health, 454–455  
 overview, 447  
 reproductive health, 452–453  
 women as leaders, 456–457

**Rehydration drink, 540****Relaxation exercise, 427****Religion**

family planning and, 227  
 violence against women and, 321

**Remedies (See Treatments)****Repetitious movements, 405****Reproductive system**

changes during puberty, 54  
 defined, 47  
 health exams, 159  
 health problems for women, 3  
 illustrated, 44–46  
 inside parts (women), 45  
 man's, 46  
 outside parts (women), 44  
 overview, 43  
 pelvic exam, 159, 535–537  
 shame about, 184  
 woman's, 44–45  
 (Also see **STIs**)

**Rescue breathing, for baby at birth, 94****Respiration (breathing rate), 531****Rest**

HIV/AIDS and, 291  
 need for, 158

**Rhythm method of family planning, 219, 221**

after abortion, 250

**Rifampicin, 514**

Ringing in ears, 130, 479  
 Risk for HIV, 189-191, 285-287  
 Rocket stove, 396-397  
 Rotation of crops, 176  
 RU 486, 245, 508  
 Rubbish, disposing safely, 151  
 Rural Women's Sanitation, 127

## S

**Sadness, extreme** (See Depression)

**Safer sex**, 189-193

bargaining for, 192-193  
 in the community, 280-281  
 condoms, 61, 128, 190  
 defined, 189  
 HIV/AIDS and, 189-190, 285, 291  
 information for girls, 60  
 making changes for, 189-195  
 methods, 190  
 overview, 160, 189  
 partner unwilling, 193  
 for sex workers, 346, 348  
 working for change, 194-195, 280-281

**Safety**

abortion, unsafe, 3, 241, 246-247, 259  
 avoiding rape, 330-331  
 bending, 399  
 carrying heavy loads, 399  
 dangers that can hurt fertility, 232  
 fire safety, 394  
 food safety, 156-157  
 health care providers' responsibilities, 35  
 lifting heavy loads, 398  
 medicines, 470, 471-473  
 plan for violence against women, 322-323  
 for refugees and displaced women, 450-451  
 resisting sexual assault, 333  
 self defense for women, 332  
 for sex workers, 349-350  
 unsafe work conditions, 406-407  
 for women with disabilities, 146  
 (Also see **Danger signs; Health risks; Safer sex**)

**Salt**

iodized, 68, 169  
 PMS and, 51  
 rehydration drink, 540  
 solution for burns, 538

**Salves**, 474 (Also see **Medicines**)

**Same sex relationships**

(**homosexuality**), 183, 184

**Sanitation**, 151-152

**Scabies**, 265

**Schistosomiasis**, 369

**Scraping abortion**, 38, 244, 248

**Screening tests**, 376, 378-379

**Scrotum**, 46

**Seeing problems** (See **Eyes**)

**Seizures**

birth control pills and, 209, 212  
 drug and alcohol withdrawal, 441  
 during labor, 74, 87

**Self defense for women**, 332

**Self-esteem**, 414-415

building, 145  
 development of, 414  
 in women with disabilities, 140-141

**Self image, changes during puberty**, 56-58

**Selling sex** (See **Sex workers**)

**Semen, overview**, 46

**Sepsis (blood infection), after female genital cutting**, 461

**Sewing, health risks from**, 406

**Sex**

abortion, 238-259  
   after rape, 337  
   anal, 185, 187, 189-190  
   avoiding pregnancy, 60, 61, 128  
   bladder infection and, 366  
   bleeding during, 274  
   bleeding from vagina after, 363  
   control over sex life, 181, 184-185  
   decisions for teenagers, 59-61  
   desire for, 185, 186-188  
   "dry," 190  
   female genital cutting and, 463-464  
   gender roles, 180-185, 194-195  
   homosexuality, 183, 184  
   incest, 63, 329  
   infertility, 228-237  
   information for girls, 60  
   kidney infection and, 366  
   kinds of, 187  
   kissing, 187  
   masturbation, 188  
   with older men, 63, 64  
   older women and, 128  
   oral, 187, 190, 279, 524  
   pain during, 189, 274, 355, 380  
   physical sex, 182, 46  
   pleasure from, 186-188  
   practices and safety, 187, 190  
   pressured or forced, 62-64  
   protecting against disease, 60, 61, 128, 160, 189-190  
   relationships without sex, 60, 184  
   safer sex, 60, 61, 128, 160, 189-193  
   sexual abuse, 317, 331  
   sex workers, 340-351

**Sex** (*continued*)

survival sex, 341  
 talking about, 61, 192-195  
 touching, 187, 524  
 trading girls for money, 64  
 urinating after, 154, 279  
 vaginal, 187  
 withdrawing or pulling out, 190, 222  
 women with disabilities and, 144  
 (Also see **Family planning; Gender roles; Safer sex; STIs; Violence against women**)

**Sexual assault** (See **Rape; Violence against women**)

**Sexual harassment**, 329, 331, 407  
(Also see **Rape; Violence against women**)

**Sexual health**, 184-195

after rape, 337  
 feeling pleasure from sex, 186-188  
 female genital cutting and, 463-464  
 gender roles, 182-185, 194-195  
 harmful beliefs, 184-185  
 infertility, 228-237  
 requirements for, 181  
 safer sex, 60, 61, 128, 160, 189-193  
 (Also see **Gender roles; Sex; STDs**)

**Sexuality**

as part of sexual health, 181  
 harmful beliefs about, 184-185  
 learning about, 186-188, 194-195

**Sexually transmitted infections** (See **STIs**)

**Sexual parts of the body** (See **Reproductive system**)

**Sex workers**, 340-351

condoms and, 346, 348  
 defined, 341  
 health problems of, 344-347  
 HIV/AIDS and, 344-347  
 organizing, 349-351  
 overview, 341  
 pregnancy and, 345  
 reasons for becoming, 342-343  
 safer sex for, 346, 348  
 story of poor woman, 342-343  
 violence against, 345  
 working for change, 348-351

**Shame**

from drug or alcohol misuse, 439  
 health and, 183  
 sexual parts of body and, 43, 184

**Shingles**, 301

**Shock**

after abortion, 254  
 after female genital cutting, 461  
 allergic shock from injections, 545  
 blood pressure and, 532  
 from burns, 540

**Shock (continued)**

signs, 254, 461, 545  
treating with fluids, 540–541

**Shortness of breath**

from antiretrovirals, 578  
from chemicals, 402  
from the pill, 210  
from weak blood (anemia), 172

**Shots (See Injections)****Shoulders**

birth of, 82, 88  
exercise at work, 404  
pain after abortion, 258

**Side effects**

antiretrovirals, 578  
hormonal methods of family  
planning, 208, 209, 212, 213  
IUDs, 216  
medicines, 478  
(Also see **specific medicines**)

**Sideways baby, 75, 85****Signs of danger (See Danger signs; Solving health problems)****Sitting for long time, 404****Skills (See Health care skills)****Skin**

brown or purple patches, 301  
care for women with disabilities, 142  
chemicals and health problems, 402  
injection under, 544  
pale, cold, and damp, 254  
washer-woman's hands, 409  
yellow, 271, 402  
yellow on newborn, 118  
(Also see **Itching; Rashes; Sores**)

**Sleep**

breastfeeding during, 107  
medicines for, 471

**Smoke and health problems, 394–397****Smoking (See Tobacco)****Soaking, disinfecting solution, 527****Soap making, health risks from, 406****Social change (See Working for change)****Solvents, sniffing (See Drugs)****Solving health problems, 18–31**

choosing the best treatment, 22–25  
finding out about the problem, 20–21  
finding the cause, 21  
health workers' role, 30–31  
steps, 29  
telling illnesses apart, 21  
working for change, 26–29

**Sores**

burns, 538–539  
on feet, 174  
on genitals (genital ulcers), 270–273  
HIV/AIDS and genital sores, 271  
in mouth and throat, with AIDS, 305  
in persons with AIDS, 306–307  
pressure sores, 142, 306  
washer-woman's hands, 409

**Sore throat**

from chemicals, 402  
in persons with AIDS, 304–305  
syphilis and, 270  
spectinomycin, 514  
for gonorrhea, 268  
for PID, 275

**Speculum, 159, 252**

exam, 536

**Sperm**

causes of infertility, 230  
overview, 46

**Spermicides**

after abortion, 250  
effectiveness of, 201  
overview, 206, 524  
for sex workers, 346  
using, 205, 206

**Sperm tube, 46****Splints, for joint pain, 405****Spotting (See Monthly bleeding)****Sputum, tuberculosis (TB) test, 389****Squeezing exercise, 371**

for fallen womb (prolapsed uterus), 131, 161  
for stool passing problems, 130  
for urine passing problems, 371

**Standing for long time, 404****Standing water, 151****Status of women, 7–8, 11****Stavudine, 518, 519****Sterilization**

after abortion, 250  
effectiveness of, 201  
for men (vasectomy), 223  
for women (tubal ligation), 38, 223

**Sterilizing equipment (See Disinfecting equipment and tools)****Steroids, for allergic reactions, 483, 545****STIs, 260–281**

abnormal vaginal discharge, 265–268  
anal intercourse and, 185, 189–190  
chancroid, 271  
chlamydia, 189–190, 267–268  
complications of, 274–276

**STIs (continued)**

defined, 261  
drug misuse and, 438  
drug-resistant, 264  
effects of, 261, 262  
family planning methods and, 201  
genital herpes, 272–273  
gonorrhea, 189–190, 267–268  
growths (warts) on genitals, 269  
health exams, 159  
hepatitis B, 277  
how spread, 189  
how to feel better, 278  
if you do not have signs, 263  
if you have signs, 263  
itching genitals, 265  
IUDs and, 216  
natural methods of family planning  
and, 218  
newborn babies' problems, 276  
pelvic inflammatory disease (PID),  
217, 265, 274–275  
pregnancy and, 68  
preventing, 279  
protecting against, 60, 61, 128  
rape and, 336, 520  
risks for women, 3, 262–263  
safer sex in the community, 280–281  
seriousness of, 262–263  
sex workers and, 344, 346–347  
signs, 263  
sores on genitals (genital ulcers),  
270–273  
swollen vagina (Bartholin gland  
infection), 276  
syphilis, 270–271  
testing and, 263  
trichomonas, 267–268  
working for change, 279–281  
yeast infections of the vagina,  
265–266  
(Also see **HIV/AIDS; Safer sex**)

**Stiffness**

belly after abortion, 258  
body of newborn, 95

**Stomach problems**

cancer, 384  
during pregnancy, 69  
pain after taking medicines, 479  
ulcers and medicine problems, 477

**Stones, kidney or bladder, 369****Stools**

building latrines, 152  
constipation, 70, 130, 372  
female genital cutting problems, 465  
leaking, 370, 534  
older women's problems passing,  
130  
removing stool, 372  
cleaning after, 153

**Stools (continued)**

- whitish, 271
- wiping after passing, 154
- (Also see **Constipation**)

**Stories about**

- adoption, 236
- an association of women with disabilities, 140, 147
- Commander Condom, 281
- communities that organized against rape, 338-339
- death from cervical cancer, 9
- forming a support group, 429
- life without children, 237
- maternal deaths, preventing, 101
- refugee women taking leadership, 457
- risk of AIDS, 191
- self-esteem, 415
- selling sex to survive, 342
- solving health problems, 20-21
- violence against women, 314
- widows who built a successful business, 136

**Storing**

- breast milk, 113
- disinfected tools and equipment, 528
- food, 157, 177
- milk and milk products, 170
- purified water, 155

**Stoves**

- burning less fuel, 395
- fire safety, 394
- haybox cooker, 397
- health problems from smoke, 394-397
- producing less smoke, 395
- rocket stove, 396-397

**Streptomycin, 515**

- overview, 481

**Stress**

- mental health and, 416-417
- physical changes and illness from, 421
- trauma, 418, 420-421, 430
- violence against women and, 318

**Stretching**

- angry cat exercise, 71
- lower back, 400
- (Also see **Exercises**)

**Stroke**

- family planning and, 145
- mental health and, 418
- overweight and, 174
- the pill and, 208

**Subcutaneous injection, 544****Substance abuse (See Alcohol; Drugs; Tobacco)****Suckling**

- easing for baby, 115
- fast and noisy, 109
- importance of, 106

**Suction abortion, 38, 244, 248****Sugar**

- need for, 166
- for pressure sores, 306
- rehydration drink, 540
- (Also see **Diet**)

**Sugar sickness (diabetes),**

- 174-175
- juvenile, 174
- overweight and, 174
- the pill and, 209
- pregnancy risks, 72
- signs, 174
- treatment, 175

**Suicide, 419, 431****Sulfamethoxazole, 481**

- (Also see **Cotrimoxazole, 497**)

**Sulfanomides, 481****Sulfas, 481****Sunlight**

- calcium and, 168
- germs killed by, 153, 155, 275
- purifying water, 155

**Support groups**

- for abused women, 324
- alcohol addiction, 440, 442
- for breastfeeding, 121
- drug addiction, 442
- exercises for, 426-428
- helping relationships, 423-424
- for people with HIV/AIDS, 290
- purposes of, 425
- for refugees and displaced women, 455
- starting, 424
- for women's health issues, 15
- for women with disabilities, 140, 141, 147
- workers' unions, 410-411

**Suppositories (See Inserts)****Surgery (See Operations)****Survival sex, 341****Swelling**

- in belly after abortion, 256
- body very swollen, 173
- engorged breasts (mastitis), 116-117, 382
- glands in groin, 271
- hands and face during labor, 74, 87
- from hormonal methods of family planning, 208
- piles (hemorrhoids) during pregnancy, 70

**Swelling (continued)**

- from sitting or standing long time, 404
- vaginal fold on one side, 276
- (Also see **Varicose veins**)

**Symptoms (See Danger signs; Solving health problems)****Syphilis, 270-271****Syringes**

- disinfecting, 528
- giving injections, 542-545
- (Also see **Injections**)

**T****Tablets**

- measuring doses, 474, 475
- taking, 474
- (Also see **Medicines**)

**Tablets, contraceptive (See Pill, the; Spermicides)****T'ai chi, 423****Talking (See Communication)****Tampons**

- using, 55
- women with disabilities and, 142

**TBAs (See Health workers; Midwives)****TB (See Tuberculosis)****TCA (trichloroacetic acid), for genital warts, 269, 516****Teas (See Caffeine; Plant medicines)****Teeth**

- care of, 154
- problems from chemicals, 402

**Temperature**

- fertility and, 232
- how to take, 530
- normal and fever levels, 530

**Testicles**

- cancer from DES (diethylstilbestrol), 471
- illustrated, 46
- overview, 46
- swollen or painful, 265

**Testosterone, production of, 46****Tests (See Exams and tests)****Tetanus**

- after abortion, 256
- from female genital cutting, 461-462
- in newborn, 95
- signs, 461
- vaccinations, 68, 161, 462, 515

**Tetracycline, 516**

- for baby eye care, 78, 83
- for chlamydia, 268

**Tetracycline (continued)**

family of medicines, 480  
 overview, 480  
 for pelvic inflammatory disease (PID), 275  
 for syphilis, 271

**Thermometer, using, 530****Thirst**

constant, 174  
 dehydration, 298  
 rehydration drink, 540  
 (Also see **Dehydration**)

**Threats, 317****Throat cancer, 384****Thrush (yeast)**

during breastfeeding, 117  
 in persons with AIDS, 305  
 (Also see **Yeast infections**)

**Tinidazole, 516**

for trichomonas, 268

**Tippy Tap, 526****Tiredness**

antiretrovirals and, 578  
 constant, 174  
 hepatitis B and, 277

**Tobacco**

cancer and, 376, 377, 384  
 coughing and, 303  
 during breastfeeding, 109  
 fertility and, 232  
 health and, 163  
 health problems from, 438, 443  
 HIV/AIDS and, 291  
 menopause and, 125  
 the pill and, 209  
 pregnancy and, 68  
 for women, 443  
 (Also see **Drugs**)

**Tongue, pale, 172****Tooth care (See **Teeth**)****Touching**

oneself (masturbation), 188  
 for sexual pleasure, 187  
 as safer sex, 189-190, 346  
 warning sign of violence, 330

**Toxemia**

early pregnancy and, 59, 72  
 signs, 74, 85  
 treatment, 74, 85

**Traditional birth attendants (See **Health workers; Midwives**)****Traditional methods**

of building inner strength, 423  
 of family planning, 222

**Training**

in gender roles, 182

**Training (continued)**

helping women help themselves, 30, 31  
 importance of, 58  
 for women with disabilities, 140  
 (Also see **Education**)

**Transfusions, 39, 285****Transverse (sideways) baby, 75, 85****Trauma**

helping women with, 430  
 mental health and, 418  
 reactions to, 420-421

**Treatments**

balancing with prevention, 163  
 choosing the best treatment, 22-25  
 helpful, harmless, and harmful, 22  
 risks and benefits, 24-25  
 (Also see **Medicines; Solving health problems; specific illness and problems**)

**Trichloroacetic acid (TCA), 516**

for genital warts, 269

**Trichomonas**

signs, 267  
 treatment, 268

**Tubal ligation, 223****Tubal pregnancy, 73, 249, 354**

STIs and, 274

**Tuberculosis (TB), 386-391**

blood in urine, 369  
 death from, 387  
 DOTS treatment, 391  
 during pregnancy, 389  
 overview, 386-387  
 in persons with AIDS, 291, 303, 391  
 pregnancy and, 389, 390, 517  
 prevalence of, 387  
 preventing, 391  
 resistance to medicines, 390  
 risks for women, 4, 388  
 signs, 389  
 spread of, 387, 388  
 test for, 389  
 treatment, 389-391  
 women and, 387  
 working for change, 391

**Tubes, fallopian (See **Fallopian tubes**)****Tumors (See **Growths**)****Twins**

birth of, 89  
 breastfeeding, 118  
 health risks, 72

**Twist exercise, 400****U****Ulcers on skin (See **Sores**)****Ulcers, stomach, medicines and, 477****Ultrasound, 37****Umbilical cord (See **Cord**)****Unconsciousness**

after abortion, 254, 258  
 diabetes and, 174  
 shock and, 254  
 (Also see **Fainting**)

**Unions**

sex workers, 349-351  
 working women, 410-411

**Units of medicine, 475****Upside down (breech) baby, 75, 77, 90-91****Urethra**

man's, 46  
 woman's, 44

**Urinary opening, 44****Urinating**

after sex, 154, 279  
 long time between, 366

**Urine system problems, 364-373**

after female genital cutting, 365, 462, 465  
 blood in urine, 369  
 burning feeling, 265, 267, 367  
 catheter, 372-373  
 causes of infection, 366  
 from chemicals, 402  
 dark urine and whitish stools, 277  
 how to feel better, 278  
 infections of bladder or kidneys, 366-368  
 kidney or bladder stones, 369  
 leaking from vagina (VVF), 161, 370-371, 465, 538  
 need to pass urine often, 370  
 in older women, 128, 130, 131  
 pain in abdomen with, 355  
 poor control (incontinence), 370, 372-373  
 signs, 367  
 treatment for infection, 367-368  
 urine system overview, 365

**Uterus (See **Womb**)****V****Vaccinations**

hepatitis B, 277, 503  
 tetanus, 68, 161, 462, 515  
 tuberculosis (TB), 390, 391

**Vacuum aspiration abortion, 38, 244, 248**

**Vagina**

- abnormal discharge, 265–268
- bleeding from
  - after abortion, 251–253, 363, 483
  - after childbirth, 84, 92–93, 97, 362, 483, 547
  - after female genital cutting, 461
  - after menopause, 363
  - after miscarriage, 98, 235, 363
  - after sex, 363
  - before baby is born, 85
  - danger signs, 359
  - during pregnancy, 73, 74, 362
  - during sex, 274
  - fibroids, 380
  - hormonal method of family planning and, 207
  - medicines for, 483
  - pain in abdomen with, 355
  - problems with monthly bleeding, 360–361
  - weak blood (anemia) and pregnancy risks, 72, 73
- cancer from DES (diethylstilbestrol), 471
- care during monthly bleeding, 55
- changes during puberty, 54
- cleanliness, 154
- defined, 44
- discharge during pregnancy, 69
- douching, 154
- dryness in older women, 128
- illustrated, 45
- itching, 265
- overview, 45
- pelvic exam, 159, 535–538
- placing anything inside, 252
- plant medicines and, 22, 96
- signs that labor is near, 80
- swollen fold on one side, 276
- torn from giving birth, 96
- urine leaking from (VVF), 161, 370–371, 465
- (Also see **Female genital cutting**; **Monthly bleeding**; **STIs**)

**Vaginal opening, 44****Vaginal pessaries, 131****Vaginal rings, 224****Vaginal sex, safety of, 189****Vaginosis, bacterial, 266, 268****Values**

- learned from community, 56, 139, 182, 183
- learned from family, 56

**Varicose veins**

- during pregnancy, 70
- in older women, 132
- the pill and, 208
- from sitting or standing work, 404

**Vas deferens, 46****Vasectomy, 223****VD (See STIs)****Vegetables, 166, 170****Veins, swollen (See Piles; Varicose veins)****Vesico-vaginal fistula (VVF), 161, 370–371, 465****Vinegar, for yeast infections, 266, 275****Violence against women, 312–325**

- cycle of violence, 319
- drug and alcohol misuse and, 439
- feelings about, 313, 315, 321, 323
- harmful effects of, 320
- health workers and, 325
- helping the man, 325
- kinds of, 317
- Laura and Luis, 314–315
- leaving your partner, 322–323
- mental health and, 418
- reasons for, 316
- refugees and displaced women, 450–451
- safety plan, 322–323
- seriousness of, 5, 313
- services for women, 324
- sex workers, 345
- social pressures, 183, 324
- talking about, 323
- warning signs, 318–319
- what to do, 322–323
- why women stay, 321
- women with disabilities and, 146, 319
- working for change, 323–324
- (Also see **Female genital cutting**; **Rape**; **Refugees and displaced women**)

**Virginity, marriage and, 185****Vision problems (See Eyes)****Vitamin A, 169****Vitamin B6, TB and pregnancy, 389****Vitamin B12, weak blood (anemia) and, 471****Vitamins and minerals, 167–170**

- after quitting alcohol, 441
- calcium, 168
- expense of, 471
- folic acid (folate), 73, 168
- in fruits and vegetables, 170
- iodine, 68, 169
- iron, 53, 73, 129, 167
- refugees and displaced women, 452
- vitamin A, 169
- vitamin B6, 389
- vitamin B12, 471

**Vomiting**

- after abortion, 258

**Vomiting (continued)**

- and antiretrovirals, 518
- by babies, 119
- kidney infection and, 367
- from medicines, 479
- by persons with AIDS, 302
- taking medicines, 478
- (Also see **Nausea**)

**Vulva**

- defined, 44
- illustrated, 44
- warts on, 269
- (Also see **Female genital cutting**)

**VVF (urine leaking from vagina), 161, 370–371, 465****W****War**

- mental health and, 418
- war rape, 329
- (Also see **Refugees and displaced women**)

**Warm bottle method for removing breast milk, 113****Warning signs (See Danger signs; Solving health problems)****Warts**

- on genitals, 269, 376
- wet, on genitals, 269, 270
- (Also see **Growths**)

**Washer-woman's hands, 409****Washing (See Cleanliness)****Water**

- for bladder infection, 367
- clean source of, 151, 155, 401
- dehydration from burns, 539
- latrine distance from, 152
- purifying, 155
- rectal fluids, giving, 541
- for refugees and displaced women, 450
- rehydration drink, 540
- shock, treating with fluids, 540–541
- signs of dehydration, 298
- standing water, 151
- storing, 155
- Tippy Tap, 522
- work with, 401

**Water retention, PMS and, 51****Waters breaking, 81**

- green or brown waters, 86
- labor does not start, 85

**Weak blood (anemia), 172–173**

- causes, 172
- diet and, 53
- folic acid (folate) and, 73, 168
- health exams, 159
- iron and, 53, 73, 129, 167

**Weak blood (continued)**

older women and, 129  
 overview, 172  
 pregnancy risks, 72, 73  
 risk during breastfeeding, 109  
 signs, 172  
 treatment, 73, 129, 173

**Weak bones (osteoporosis)**

calcium and, 168  
 in older women, 133

**Weaving, health risks from, 406****Weight loss**

abnormal, 174  
 tuberculosis and, 389

**Where There Is No Doctor, 152, 175, 265, 325, 366, 369****Wind, burping the baby, 107****Withdrawal of penis before****ejaculation**

as safer sex, 190  
 as family planning, 222

**Womb**

cancer, 381  
 emptying, 38, 244  
 fallen (prolapsed uterus), 131, 161, 398  
 fibroid tumors, 380  
 growths in (fibroids or polyps), 129  
 illustrated, 45  
 infection after childbirth, 97  
 overview, 45  
 polyps, 380  
 removal of (hysterectomy), 38, 379, 381  
 size during pregnancy, 76, 533

**“Women’s” health**

causes of poor health, 6–11  
 how men can help, 14  
 overview, 1  
 problems affecting women most, 2–5  
 working for change, 12–17

**Women with disabilities, 138–147**

abuse and, 146, 319  
 breast exams, 162  
 causes of disability, 139  
 exercises, 143  
 family planning, 145  
 further information, 138  
 health care recommendations, 141–143  
 meeting other people, 140  
 pregnancy and, 72, 145  
 prevalence of, 139  
 recognizing illness, 141  
 safety recommendations, 146  
 self-esteem, support for, 140–141  
 sexuality and sexual health, 144–145

**Women with disabilities****(continued)**

skin care, 142  
 support groups for, 140, 141, 147  
 urine system problems, 366  
 as women first, 138  
 working for change, 147

**Work, 392–411**

with chemicals, 402–403  
 crafts, 406  
 fire safety, 394  
 forgotten workers, 409  
 health risks from, 4, 406  
 heavy loads, lifting and carrying, 398–400  
 kneeling, 405  
 migration, 408  
 overview, 393  
 for refugees and displaced women, 457  
 repetitious movements, 405  
 sexual harassment, 329, 331, 407  
 sitting or standing for long time, 404  
 smoke from cooking, 394–397  
 unsafe conditions, 406–407  
 with water, 401  
 working for change, 410–411  
 (Also see **Cooking; Health workers; Sex workers; Working mothers**)

**Working for change**

AIDS prevention, 309–311  
 better nutrition, 176–179  
 breastfeeding, 121  
 cancer deaths, 385  
 death or injury from pregnancy and childbirth, 101–103  
 elder care, 136–137  
 family planning, 227  
 female genital cutting, 466–467  
 medical system, 40–41  
 mental health of community, 433  
 preventing drug and alcohol misuse, 445  
 prevention and treatment balance, 163  
 rape, 338–339  
 root causes of health problems, 26–27  
 safer sex, 194–195, 280–281  
 sex workers, 348–351  
 solving health problems, 26–29  
 STIs, 279–281  
 tuberculosis (TB), 391  
 unsafe abortion, preventing, 259  
 violence against women, 323–324  
 “women’s” health, 12–17  
 women with disabilities, 147  
 workplace organization, 410–411  
 (Also see **Government policies and laws; Preventing illness; Support groups**)

**Working mothers**

breastfeeding and, 111  
 child care cooperatives, 158  
 gender roles and, 182–183  
 workload reduction, 158  
 (Also see **Work**)

**Workload, reducing, 158****Wounds**

infected after female genital cutting, 461–462  
 in persons with AIDS, 306–307  
 (Also see **Female genital cutting**)


**X****X-rays, 37****Y, Z****Yeast infections**

abnormal discharge from, 265  
 in persons with AIDS, 300, 305  
 signs, 265  
 thrush during breastfeeding, 117  
 thrush in persons with AIDS, 305  
 treatment, 266

**Yellow baby (jaundice), 118****Yellow skin, 277, 402****Yoga, 423****Zidovudine, 518, 520**



## OTHER BOOKS FROM HESPERIAN

**Where There Is No Doctor**, by David Werner with Carol Thuman and Jane Maxwell. Perhaps the most widely used health care manual in the world, this book provides vital, easily understood information on how to diagnose, treat, and prevent common diseases. Emphasis is placed on prevention, including cleanliness, diet, and vaccinations, as well as the active role people must take in their own health care. 512 pages.



**A Book for Midwives**, by Susan Klein, Suellen Miller, and Fiona Thomson, completely revised in 2004, is for midwives, community health workers and anyone concerned about the health of women and babies in pregnancy, birth and beyond. An invaluable tool for training as well as a practical reference, it covers helping pregnant women stay healthy, care during and after birth, handling obstetric complications, breastfeeding, and includes expanded information for women's reproductive health care. 544 pages

**HIV, Health, and Your Community**, by Reuben Granich and Jonathan Mermin. Designed for confronting HIV in places with few medical resources, this comprehensive manual is accessible to people without technical knowledge or prior training in HIV prevention or in the care of people with HIV/AIDS. Topics include: biology of HIV, prevention strategies, counseling and testing, low-cost care for people with HIV and their families, and guidelines for using ART and treating opportunistic infections.



**Helping Health Workers Learn**, by David Werner and Bill Bower. An indispensable resource for teaching about health, this heavily illustrated book presents strategies for effective community involvement through participatory education. Includes activities for mothers and children; pointers for using theater; flannel-boards, and other techniques; and ideas for producing low-cost teaching aids. 640 pages

**Helping Children Who Are Blind**, by Sandy Niemann and Namita Jacob, aids parents and other caregivers in helping blind children develop all their capabilities. Topics include: assessing what a child can see, preventing blindness, moving around safely, teaching common activities, and more. 192 pages.

**Where There Is No Dentist**, by Murray Dickson shows how to care for the teeth and gums, and prevent tooth and gum problems through hygiene, nutrition, and education. Includes detailed, well illustrated information on using dental equipment, placing fillings, taking out teeth, and more. A new chapter includes material on HIV/AIDS and oral health. 237 pages.

**Helping Children Who Are Deaf**, by Sandy Neimann, Devorah Greenstein and Darlena David, helps parents and other caregivers build the communication skills of young children who do not hear well. Covers language development through both signed and spoken methods, as well as assessing hearing loss, exploring causes of deafness, and more. 250 pages.

**Disabled Village Children**, by David Werner, covers most common disabilities of children. It gives suggestions for rehabilitation and explains how to make a variety of low-cost aids. Emphasis is placed on how to help disabled children find a role and be accepted in the community. 672 pages.

*To order books in English or Spanish, or to learn more about our work, contact us at:*  
**Hesperian Foundation** • PO Box 11577 • Berkeley, California, 94712-2577, USA  
tel: (510) 845-4507 • fax: (510) 845-0539 • email: [bookorders@hesperian.org](mailto:bookorders@hesperian.org) • [www.hesperian.org](http://www.hesperian.org)