

FEB

Go

MAR APR

		cytoplasmic membranes, ribosomes, cytoplasm	
Polysaccharides	sugars (carbohydrates)	capsules, inclusions (storage), cell walls	
Phospholipids	fatty acids	membranes	
Nucleic Acids (DNA/RNA)	nucleotides	DNA: nucleoid (chromosome), plasmids rRNA: ribosomes; mRNA, tRNA: cytoplasm	

## Procaryotic Cell Architecture

At one time it was thought that bacteria and other procaryotes were essentially "bags of enzymes" with no inherent cellular architecture. The development of the electron microscope in the 1950s revealed the distinct anatomical features of bacteria and confirmed the suspicion that they lacked a nuclear membrane. Procaryotes are cells of relatively simple construction, especially if compared to eucaryotes. Whereas eucaryotic cells have a preponderance of organelles with separate cellular functions, procaryotes carry out all cellular functions as individual units.

A procaryotic cell has five essential structural components: a **nucleoid (DNA)**, **ribosomes**, **cell membrane**, **cell wall**, and some sort of **surface layer**, which may or may not be an inherent part of the wall.

Structurally, there are three architectural regions: **appendages** (attachments to the cell surface) in the form of **flagella** and **pili (or fimbriae)**; a **cell envelope** consisting of a **capsule**, **cell wall** and **plasma membrane**; and a **cytoplasmic region** that contains the cell **chromosome** (**DNA**) and **ribosomes** and various sorts of **inclusions** (Figure 1).




Figure 1. Cutaway drawing of a typical bacterial cell illustrating structural components. See Table 2 below for chemical composition and function of the labeled components.

## Table 2. Summary of characteristics of typical bacterial cell structures

Structure Flagella	Function(s)	Predominant chemical composition
	Swimming movement	Protein
Pili		
Sex pilus	Stabilizes mating bacteria during DNA transfer by conjugation	Protein
Common pili or fimbriae	Attachment to surfaces; protection against phagotrophic engulfment	Protein
Capsules (includes "slime layers" and glycocalyx)	Attachment to surfaces; protection against phagocytic engulfment, occasionally killing or digestion; reserve of nutrients or protection against desiccation	Usually polysaccharide; occasionally polypeptide
Cell wall		
Gram- positive bacteria	Prevents osmotic lysis of cell protoplast and confers rigidity and shape on cells	Peptidoglycan (murein) complexed with teichoic acids
Gram- negative bacteria	Peptidoglycan prevents osmotic lysis and confers rigidity and shape; outer membrane is permeability barrier; associated LPS and proteins have various functions	Peptidoglycan (murein) surrounded by phospholipid protein- lipopolysaccharide "outer membrane"
Plasma membrane	Permeability barrier; transport of solutes; energy generation; location of numerous enzyme systems	Phospholipid and protein
Ribosomes	Sites of translation (protein synthesis)	RNA and protein
Inclusions	Often reserves of nutrients; additional specialized functions	Highly variable; carbohydrate, lipid, protein

or inorganic




Figure 2 . Electron micrograph of an ultra-thin section of a dividing pair of group A streptococci (20,000X). The cell surface fimbriae (fibrils) are evident. The bacterial cell wall is seen as the light staining region between the fibrils and the dark staining cell interior. Cell division in progress is indicated by the new septum formed between the two cells and by the indentation of the cell wall near the cell equator. The streptococcal cell diameter is equal to approximately one micron. Electron micrograph of *Streptococcus pyogenes* by Maria Fazio and Vincent A. Fischetti, Ph.D. with permission. <u>The Laboratory of Bacterial Pathogenesis and Immunology</u>, Rockefeller University.

chapter continued

Next Page

 $\ensuremath{\mathbb{C}}$  Kenneth Todar, Ph.D. All rights reserved. - www.textbookofbacteriology.net

Kenneth Todar, PhD | Home | Table of Contents | Lecture Aids | Contact | Donate

© 2008-2012 Kenneth Todar, PhD - Madison, Wisconsin